


# IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



## CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

*Issued To:*

### TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

NO. 7/364-367 MOO. 6 MABYANGPORN PLUAKDAENG, RA 21140, RAYONG, Thailand

*Product:*

### Plumbing Fixtures (Stainless Steel)

*Products are in compliance with the following code(s):*

Uniform Plumbing Code (UPC®)  
National Plumbing Code of Canada  
National Standard Plumbing Code

*Products are certified to the following standard(s)*

ASME A112.19.3-2022/CSA B45.4-22

File Number: 4583

Revised Date: July 1, 2024

Effective Date: March 2024

Void After: March 2029\*

  
Chairman, Product Certification Committee




  
Chief Technical Service Officer

\*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

### Identification:

Each fixture shall be permanently and legibly marked with the manufacturer's name or trademark or, name of customer for whom the fixture was manufactured. The product shall also bear the cUPC® certification mark. Markings shall be applied so as to be visible after installation.


### Characteristics:

Stainless steel plumbing fixtures may include kitchen sinks, bar sinks, and lavatories. Fixtures supplied with proprietary components, supply fittings, waste fittings, or water closet seats, shall indicate in the packaging or accompanying literature, that such components are provided by the manufacturer. To be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

File Number: 4583

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: March 2024

Revised Date: July 1, 2024

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


### Models

#### Drawn Sinks

Model Number	Description	Dimension
FD0206		33**22**6"
FD0207		33**22**7"
FD0262		33**22**6 1/2"
FD0272		33**22**7 1/2"
FD1001	single bowl, undermount	23 3/4**21 1/4**9"
FD1002	Single bowl, Undermount, thickness can be 23GA to 16GA	23-1/8"x17-7/8"x5.5-10"
FD1004	round single bowl, topmount	19 1/3**6 3/4"
FD1005	round single bowl, topmount	20**8"
FD1006	round single bowl, topmount	18 1/2**8"
FD1008	single bowl ,top-mounted, thickness can be 0.66mm to 1.2mm	15**15**5 1/2"-6
FD1009	single bowl, topmount	17**22**7"
FD1011	oval single bowl bar sink, undermount	19 1/4**16 1/4**5 7/8"
FD1014	Single bowl, Undermount, Thickness can be 22GA to 16GA	18-1/2"x15"x7"-8"
FD1025	single bowl, undermount Thickness can be 22GA to 16GA	15"x12 5/8x7"-9"
FD1030	(B)double bowl, undermount	40 1/2**19**7 1/2"
FD1031	single bowl, undermount	23**17 3/4**9"
FD1060	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm	25**22**8"
FD1070	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm	25**22**9"
FD1071	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm	33**22**8"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
FD1072	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm	33"*22"*8"
FD1075	single bowl top-mounted with stainless bar sink strainer, thickness can be 0.66mm to 1.2mm	17"*17"*6"
FD1077	single bowl top-mounted sink with strainer, thickness can be 1.17mm to 1.2mm	25"*22"*12"
FD1083-10	Single, top-mounted sink, Thickness can be 0.66mm to 1.2mm	20.5"*20.5"*10"
FD1083-6	Single Bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	20.5"*20.5"*6"
FD1083-7	Single Bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	20.5"*20.5"*7"
FD1083-8	Single Bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	20.5"*20.5"*8"
FD1083-9	Single Bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	20.5"*20.5"*9"
FD1087	Top Mount Sink Single Bowl 3322F, Thickness can be 1.0mm to 1.2mm	33"" x 22"" x 8""
FD1088	single bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm	11-5/8"x4-1/2"
FD1120-500	double bowl with drain board	44 1/8"*19 11/16"*7 1/8"(L)/6"(R )
FD1180-480	doubel bowl with drain board	46 7/16"*18 7/8"*6 7/8"
FD1180C	three bowl,undermount	46 1/2"*20 3/4"*9"(B)/7"(S)
FD1230-480	double bowl with drain board	48 7/16"*18 7/8"*7 1/8"(L)/6"(R )
FD1410-500	double bowl with drain board	39 3/4"*19 11/16"*7 1/8"(L)/6"(R )
FD2001	double bowl,undermount, thickness can be 0.66mm to 1.35mm	31 7/8"*20 5/8"*8"-9"/6-7"
FD2003	double bowl,undermount thickness can be 0.73mm to 1.2mm	32"*21"*9"(L)/5 1/2"(R)
FD2004	double bowl,undermount, thickness can be 0.66mm to 1.35mm	31 1/2"*20 3/4"*9"(L)/7"(R)
FD2005	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA	33"x22"x5.5~9"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
FD2006	double bowl, undermount	34 3/4"*20 3/4"*9"
FD2017	double bowl,topmount	33"*22"*9 3/4"
FD2017-F/3	double bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm	33"*22"*9"
FD2018	Double bowl, Undermount, Thickness can be 20GA to 16GA	29-1/8"x18-1/2"x7"-10"
FD2033	double bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm	33"*22"*8"
FD2034	double bowl universal-mounted with ss and zine alloy sink strainer,thickness can be 0.81mm to 1.2mm	33"*22"*9"/8"
FD2035	double bowl top-mounted sink with faucet & strainer, thickness can be 0.81mm to 1.35mm	31"*20 1/2"*8"
FD2036	double bowl top-mount sink with strainer, thickness can be 0.81mm to 1.35mm	27"*20 3/8"*L8"/R7"
FD2038	Double bowl, No Mounting Hole, Under-mounted	31 1/2"*20 1/2"*6 1/2"-10"
FD2041	double bowl, top-mounted sink, thickness can be 0.8mm to 1.0mm	27"x16" x7"
FD2042	double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm	25"x15-1/4"x5-1/2"
FD2048-6	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	33"*19"*6"
FD2048-7	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	33"*19"*7"
FD2048-8	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	33"*19"*8"
FD2048-9	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	33"*19"*9"
FD2049-6	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	31.6"*20.6"*6"
FD2049-7	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	31.6"*20.6"*7"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
FD2049-8	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	31.6"*20.6"*8"
FD2049-9	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm	31.6"*20.6"*9"
FD2050	Butterfly Sink Double Bowl, Thickness can be 1.0mm to 1.2mm	33"x 22"x 9"
FD2070	double bowl, no mounting hole, top-mount sink	33"*17 3/4"*5 7/8"
FD2073	double bowl under-mounted with plastic sink strainer. thickness can be 0.81mm to 1.2mm.	30 5/8"*17 3/8"*8"
FD2074	double bowl top-mounted with plastic sink strainer thickness can be 0.81mm to 1.2mm.	31 5/16"*20 7/8"*8"
FD2074-F/2	Double bowl top-mounted with plastic sink strainer thickness can be 0.81mm to 1.2mm	31 5/16"*20 7/8"*8"
FD220A	single bowl, undermount	22 1/2"*17"*6", 7", or 8"
FD2318-412	ADA single bowl kitchen sink, undermount	23"*17 3/4"*4 1/2"
FD2522	single bowl, topmount	25"*22"*9"
FD3118	single bowl, undermount	32 1/2"*18 1/2"*10"
FD317S	single bowl, topmount	33 1/2"*17 3/4"*6 3/4"
FD3221	double bowl, undermount	32"*21 1/4"*9"(L)/5"(R)
FD3322A	double bowl, topmount	33"*22"*9"(L)/5"(R)
FD3322B	double bowl, topmount	33"*22"*9"(L)/7"(R)
FD342A	single bowl with drain board, topmount	39 2/5"*19 5/6"*6"
FD342B	single bowl with drain board, topmount	39 2/5"*19 5/6"*7"
FD342C	single bowl with drain board, topmount	39 2/5"*19 5/6"*8"
FD343A	single bowl with drain board, topmount	30 5/6"*19"*6"
FD343B	single bowl with drain board, topmount	30 5/6"*19"*7"
FD343C	single bowl with drain board, topmount	30 5/6"*19"*8"
FD440-380	square single sink, drop in	17 5/6"*15"*7"
FD455	single bowl half circle, topmount	18"*13 1/2"*6"
FD456-266	single bowl undermount	17 15/16"*10 1/2"*7"
FD485-417	single bowl, topmount	19 1/4"*16 1/2"*7"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
FD490-440	square single sink, drop in	19 5/16" x 17 5/16" x 7"
FD495-445	square single sink, undermount	19 1/2" x 17 1/2" x 11"
FD495-495	square single sink, undermount	19 1/2" x 19 1/2" x 9 1/2"
FD501	double bowl, undermount	32" x 17 3/4" x 8" (L) / 7" (R)
FD505	double bowl, undermount	29 1/4" x 18 1/2" x 7"
FD560A	double bowl, undermount	30 1/2" x 17 1/2" x 6", 7", or 8"
FD560A-918	double bowl, undermount	30 1/2" x 18 1/4" x 9"
FD617C	double bowl, topmount	33 1/2" x 17 3/4" x 6 3/4"
FD648-495	square single sink, undermount sink, Thickness can be 0.73mm to 1.5mm	25 1/2" x 19 1/2" x 11"
TJ1090	Single Bowl, Thickness can be 0.66mm to 1.2mm	33" x 22" x 9"
TJ2051	double bowl, Thickness can be 0.66mm to 1.2mm	25 X 15 X 5
TJ2052	double bowl, Thickness can be 0.66mm to 1.2mm	27 X 16 X 7
FD2001L	Double bowl, Undermount, Thickness can be 23GA to 16GA	31 7/8" x 20 5/8" x 8"-10" / 6"-8"
FD2001R	Double bowl, Undermount, Thickness can be 23GA to 16GA	31 7/8" x 20 5/8" x 6-8" / 8"-10"
FD1086	Single bowl, Undermount, Thickness can be 20GA to 16GA	31-1/2" x 18-3/8" x 5.5"-10"
FD1032	Single bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA	33" x 22" x 8"-9"
FD1020	Single Bowl, Dual Mount 20GA to 16GA	25" x 22" x 5-1/2"-10"
FD2002ADA	Double bowl, Undermount, Thickness can be 20GA to 16GA	32-3/8" x 18-1/8" x 5-1/2"
FD2020	Double bowl, Undermount, Thickness can be 20GA to 16GA	32-3/8" x 18-1/8" x 5.5"-10"
FD2021	Double bowl, Undermount, Thickness can be 20GA to 16GA	31-1/4" x 18" x 5.5"-10"
FD2019L	Double bowl, Undermount, Thickness can be 20GA to 16GA	31-3/4" x 20-5/8" x 9-10" / 7-8"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


Model Number	Description	Dimension
FD2019R	Double bowl, Undermount, Thickness can be 20GA to 16GA	31-3/4"x20-5/8"x7-8"/9-10"
FD1028	Single Bowl, Undermount, Thickness can be 20GA to 16GA	32-3/8"x18-1/8"x5.5-10"
FD1027	Single Bowl, Undermount, Thickness can be 20GA to 16GA	23-1/8"x17-7/8"x5.5-10"
FD2099	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 20GA to 16GA	33"x22"x8"-10"
FD2022	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA	33"x22x 6"-9"
FD2013	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA	32-1/4"x18-7/8"x8"~10"
FD1024	Single bowl, Undermount, Thickness can be 20GA to 16GA	27"x17-7/8"x5.5"-9"
FD1065	Round sink, undermount, Thickness can be 22GA to 16GA	Ø17-3/4"x7"-8"
FD1003	Single bowl, Undermount, Thickness can be 22GA to 16GA	10-1/2"x18"x6"-7"
FD2034/2	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA	31-3/4"x20-7/8"x9"
FD1099	Single bowl, Undermount, Thickness can be 20GA to 16GA	31-5/8"x21-1/4"x9"
FD1035	Single bowl, Undermount, Thickness can be 20GA to 16GA	32-1/2"x18-5/8"x9"
FD2023	Double bowl, Corner Undermount, Thickness can be 20GA to 16GA	31-5/16"x31-5/16"x8 3/16"

### Handmade Sinks

Model Number	Description	Dimension
A2421S	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	24 3/8" x 20 3/4"x7"-10"
A2320S	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25, Thickness can be 20GA to 16GA	23"x20"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

File Number: 4583

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: March 2024

Revised Date: July 1, 2024


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
A2418S	Apron Handmade Stainless Steel Sink,R0-R25, Thickness can be 20GA to 16GA	24" x 18"x7"-10"
A2420S	Apron Handmade Stainless Steel Sink,R0-R25, Thickness can be 20GA to 16GA	24" x 20"x7"-10"
A2421S-1	Apron Handmade Stainless Steel Sink,R0-R25, Thickness can be 20GA to 16GA	24" x 21"x7"-10"
A2716S	Apron Handmade Stainless Steel Sink,R0-R25, Thickness can be 20GA to 16GA	27" x 16"x7"-10"
A2720S	Apron Handmade Stainless Steel Sink,R0-R25, Thickness can be 18GA to 16GA	27x20-1/4x10-11
A2722S	Apron Handmade Stainless Steel Sink,Single bowl, R0-R25, Thickness can be 20GA to 16GA	27"x22"x7-10"
A3020S	Apron Handmade Stainless Steel Sink,R0-R2520GA to 16GA	30"x20"x7"-10"
A3021S	Apron Handmade Stainless Steel Sink,R0-R2520GA to 16GA	30"x21"x7"-10"
A3022H	Apron Handmade Stainless Steel Sink,Double Bowl, R0-R25, Thickness can be 20GA to 16GA	30"x22"x7-10"
A3022S	Apron Handmade Stainless Steel Sink,Single Bowl, R0-R25, Thickness can be 20GA to 16GA	30"x22"x7-10"
A3220H	Apron Handmade Stainless Steel Sink,R0-R2520GA to 16GA	32"x20"x7"-10"
A3220O	Apron Handmade Stainless Steel Sink,R0-R2520GA to 16GA	32"x20"x7"-10"
A3320H	Apron Handmade Stainless Steel Sink,R0-R2520GA to 16GA	33"x20"x7"-10"
A3320O	Apron Handmade Stainless Steel Sink,R0-R2520GA to 16GA	33"x20"x7"-10"
A3320S	Apron Handmade Stainless Steel Sink,R0-R2520GA to 16GA	33"x20"x7"-10"
A3321H	Apron Handmade Stainless Steel Sink,R0-R25, Thickness can be 20GA to 16GA	33"x21"x7"-10"
A3321O	Apron Handmade Stainless Steel Sink,R0-R2520GA to 16GA	33"x21"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

File Number: 4583

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: March 2024

Revised Date: July 1, 2024


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
A3321S	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	33"x21"x7"-10"
A3322H	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA	33"x22"x7"-10"
A3322S	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, Thickness can be 20GA to 16GA	33"x22"x7"-10"
A3323H	Apron Handmade Stainless Steel Sink, R0-R25, Thickness can be 20GA to 16GA	33"x23"x7"-10"
A3323S	Apron Handmade Stainless Steel Sink, R0-R25, Thickness can be 20GA to 16GA	33"x23"x7"-10"
A3522H	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA	35"x22-1/4"x7"-10"
A3522S	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, Thickness can be 20GA to 16GA	35"x22-1/4"x7"-10"
A3620H	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA	36"x20-1/4"x7"-10"
A3620O	Apron Handmade Stainless Steel Sink, Offset Double Bowl, R0-R25, Thickness can be 20GA to 16GA	36"x20-1/4"x7"-10"
A3620S	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25, Thickness can be 20GA to 16GA	36"x20-1/4"x7"-10"
A3621O	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	36"x21"x7"-10"
A3621S	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	36"x21"x7"-10"
A3920O	Apron Handmade Stainless Steel Sink, Offset Double Bowl, R0-R25, Thickness can be 20GA to 16GA	39"x20"x7"-10"
A3920S	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25, Thickness can be 20GA to 16GA	39"x20"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
A3921H	Apron Handmade Stainless Steel Sink, R0-R25, Thickness can be 18GA to 16GA	39x20-3/4x10-1/4
A4220O	Apron Handmade Stainless Steel Sink, Offset Double Bowl, R0-R25, Thickness can be 20GA to 16GA	42x20"x7"-10"
A4220S	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25, Thickness can be 20GA to 16GA	42"x20"x7"-10"
A4221H	Apron Handmade Stainless Steel Sink, R0-R25, Thickness can be 18GA to 16GA	42x20-3/4x10-1/4
A4221O	Apron Handmade Stainless Steel Sink, R0-R25, Thickness can be 18GA to 16GA	42x20-3/4x10-1/4
D3120S	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	31"x20"x7"-10"
D3322H	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	33"x22"x7"-10"
D3322O	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	33"x22"x7"-10"
D3322S	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	33"x22"x7"-10"
T1515S	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	15"x15"x7"-10"
T1922S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	19x22-1/2x5.5-10
T2020S	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	20-1/2"x20-1/2"x7"-10"
T2323S	Handmade Stainless Steel Sink, Dual mount, R0-R25, Thickness can be 22GA to 16GA	23x23x9-12
T2522S	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	25"x22"x7"-10"
T3120H-1	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	31-1/4"x20-1/2"x7"-10"
T3120H-2	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	31-1/2"x20-1/2"x7"-10"
T3120O	Handmade Stainless Steel Sink, R0-R25, 1, 2, 3 or 4 holes, Thickness can be 20GA to 16GA	31-1/2"x20-1/2"x10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
T3120S	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	31-1/4"x20-1/2"x7"-10"
T3220S	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	31-1/2"x20-1/2"x7"-10"
T3322H	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	33"x22"x7"-10"
T3322O	Handmade Stainless Steel Sink,R0-R25, 1, 2, 3 or 4 holes, Thickness can be 20GA to 16GA	33"x22"x10"
T3322S	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA,	33"x22"x7"-10"
T3323H	Handmade Stainless Steel Sink, Dual mount, R0-R25, 1, 2, 3 or 4 holes, Thickness can be 20GA to 16GA	32-3/4x22-3/4x7-10
U1120S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	11x20x5.5-10
U1410S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	14"x10"x5~6"
U1414S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	14-1/2x14-1/2x5.5-10
U1418S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 20GA to 16GA	14"x18"x5.5"-10"
U1512S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	15x12-1/2x5.5-10
U1517S	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	15"x17"x7"-10"
U1518S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	15"x18-1/2"x7"-10"
U1520S	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	15"x20"x7"-10"
U1616S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 20GA to 16GA	16"x16"x5.5"-10"
U1618S	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	16"x18"x7"-10"
U1816S	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	18-1/2"x16"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
U1818S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	18"x18"x7"-10"
U1915S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	19"x15"x7"-10"
U1920S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	19x20x5.5-10
U2015S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	20x15x10x5-10
U2118S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	21"x18"x5.5"-10"
U2208S	Handmade Stainless Steel Sink, Undermount mount, R0-R25, Thickness can be 22GA to 16GA	22x8-1/4x5-8
U2216S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	20-1/2x16-1/2x5.5-10
U2218S	Handmade Stainless Steel Sink, 20GA to 16GA	22"x18"x5-1/2"-10"
U2308S	Handmade Stainless Steel Sink, Undermount mount, R0-R25, Thickness can be 22GA to 16GA	23-1/4x8-1/2x5-8
U2318S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	23"x18"x7"-10"
U2321S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	23"x21"x7"-10"
U2515S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	25"x15"x7"-10"
U2515S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	25"x15"x7"-10"
U2515SS	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	25"x15"x7"-10"
U2515SS	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	25"x15"x7"-10"
U2517SS	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	25"x17"x7"-10"
U2618S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	26"x18"x5.5"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

File Number: 4583

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: March 2024

Revised Date: July 1, 2024


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
U2716S	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	27"x16"x7"-10"
U2716S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	27"x16"x7"-10"
U2716SS	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	27"x16"x7"-10"
U2716SS	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	27"x16"x7"-10"
U2718S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	27"x18"x5.5"-10"
U2719S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	27"x19"x5.5"-10"
U2818S	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	28"x18"x7"-10"
U2918S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	29"x18"x5.5"-10"
U2919S	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	29"x19"x7"-10"
U2920H	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	29"x20"x7"-10"
U2920O	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	29"x20"x7"-10"
U3018H	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	30"x18"x7"-10"
U3018S	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	30"x18"x7"-10"
U3118H	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	31"x18"x7"-10"
U3118S	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	31"x18"x7"-10"
U3120O	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	30.75"x20"x7"-10"
U3121O	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA	31.25"x20.5"x5.5-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

File Number: 4583

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: March 2024

Revised Date: July 1, 2024


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
U3208S	Handmade Stainless Steel Sink, Undermount mount, R0-R25, Thickness can be 22GA to 16GA	32x8-3/4x5-8
U3218H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x18"x7"-10"
U3218O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x18"x7"-10"
U3218O7030	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x18"x7"-10"
U3218S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x18"x7"-10"
U3219H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x19"x7"-10"
U3219O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x19"x7"-10"
U3219S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x19"x7"-10"
U3220H	Handmade Stainless Steel Sink, Double bowl, R0-R25, Thickness can be 20GA to 16GA	32"x20"x7"-10"
U3220O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x20"x7"-10"
U3220OD	Handmade Stainless Steel Sink, Double bowl, R0-R25, 1, 2, 3 or 4 holes, Thickness can be 20GA to 16GA	32-1/2"x20-1/2"x7"-10"
U3311S	Handmade Stainless Steel Sink, Undermount mount, R0-R25, Thickness can be 22GA to 16GA	32-3/4x11x5-8
U3318H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	33"x18"x7"-10"
U3319H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	33"x19"x7"-10"
U3320H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	33"x20"x7"-10"
U3320O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	33"x20"x7"-10"
U3720H	Handmade Stainless Steel Sink, R0-R25, Thickness can be 20GA to 16GA	37x20x5.5-10

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
FD1007	Single Bowl, Top Mount 1, 3 or 4 faucet holes 23GA to 16GA	25"x22"x5.5"-10"
FD1015	Single Bowl, Under Mount 20GA to 16GA	18"x16.5"x8"-10"
FD1091	Single Bowl, Dual Mount 20GA to 16GA	33"x22"x5-1/2"-10"
FD1092	Single Bowl, Under Mount 20GA to 16GA	31-13/16"x18-1/2"x8"-10"
FD1093	Single Bowl, Under Mount 20GA to 16GA	23-13/16"x18-1/2"x8"-10"
FD1095	Single bowl, Undermount, Thickness can be 20GA to 16GA	30"x18"x5.5"-10"
FD1098	Single Bowl, Top Mount 1, 3 or 4 faucet holes 20GA to 16GA	33"x21-15/16"x8"-10"
FD1412	Stainless Steel Sink 22GA to 20GA	14-5/16"x12"x5"-6"
FD1616	Single Bowl, Under Mount 20GA to 16GA	16"x16"x8"-10"
FD2002	Double Bowl, Under Mount 20GA to 16GA	32-3/8"x18-1/8"x7"-10"
FD2053	Double Bowl, Dual Mount 20GA to 16GA	33"x22"x5-1/2"-10"
FD2054	Double bowl, undermount 20GA to 16GA	31-13/16"x18-1/2"x5-1/2"-10"
FD2055	Double Bowl, Dual Mount 1, 3 or 4 faucet holes 20GA to 16GA,	33"x22"x8"-10"
FD2056	Double Bowl, Under Mount 20GA to 16GA	31-13/16"x18-1/2"x8"-10"
FD505	Double Bowl, Under Mount 20GA to 16GA	29-1/8"x18-1/2"x8"-10"
FD1038	Single Bowl, Dual Mount 20GA to 16GA	33"x22"x5-1/2"-10"
FD2063	Double bowl, Dual Mount 20GA to 16GA 1, 2, 3 or 4 holes	33"x22"x8"-10"
FD340	single bowl, undermount 22GA to 16GA no hole	Ø13-3/8"x10-5/8"x5
FD265	single bowl, undermount 22GA to 16GA no hole	Ø10-7/16"x5"
FD336	single bowl, undermount 22GA to 16GA no hole	Ø13"x4-1/2~5-1/2"
FD1029	single bowl, undermount 22GA to 16GA	30"x18"x5.5"-10"
FD1047	single bowl, undermount 22GA to 16GA	20-7/8"x17-7/8"x5-1/2-9"
FD2045	Double Bowl, Top Mount 23GA to 16GA	33"x21-1/4"x5.5~9"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


Model Number	Description	Dimension
FD1049	Single bowl, Top Mount 23GA to 16GA	25"x21-1/4"x5.5~9"
FD1050	Single bowl, Top Mount 23GA to 16GA	17"x21-1/4"x5.5~8"
FD1026	Single Bowl, Top Mount 23GA to 20GA	19-3/16"x19-3/16"x5.5"-8"

Model Number	Description	Dimension
U3824T	Service Sink	37-7/8" x 23-3/4" x 43.5"
U3030S	Service Sink	30" x 29.5" x 43.5"
U2324S	Service Sink	23.5" x 23.75" x 43.5"
U1818S	Service Sink	18" x 18.5" x 41"

Model Number	Description	Dimension (inch)	Thickness
*FD1046	Single Bowl, Undermount	32-3/8 x 18-1/8 x 5.5~10	23GA~16GA
FD2038L	Double bowl, Undermount	31-1/2 x 20-1/2 x 5~8 / 7~10	23GA~16GA
FD2062	Double bowl, Undermount	32-3/8 x 18-1/8 x 7~10	20A~16GA
FD1098U	Single Bowl, Undermount	31-3/8 x 20-1/2 x 5.5~10	23GA~16GA
FD1071-2	Single Bowl, Undermount	33 x 22 x 8~9	23GA~16GA
FD1001	Single Bowl, Undermount	23-5/8 x 21 x 7~9	23GA~16GA
FD1043	Single Bowl, Undermount	15 x 18-1/2 x 5.5~10	23GA~16GA
*FD1009	Single bowl, Topmount	17 x 22 x 6~8	23GA~16GA
FD1038	Single bowl, Topmount	33 x 22 x 5.5~10	23GA~16GA
*FD2063	Double bowl, Topmount	34 x 22 x 5.5~10	23GA~16GA
FD2072	Double bowl, Topmount	35 x 22 x 5.5~10	23GA~16GA
FD1052	Single bowl, Topmount	25 x 22 x 5.5~10	23GA~16GA
FD1048	Single Bowl, Undermount	31-7/8 x 18-9/16 x 5.5~10	23GA~16GA
FD2068	Double bowl, Undermount	31-7/8 x 18-9/16 x 5.5~11	23GA~16GA
FD2073	Double bowl, Undermount	31-7/8 x 18-9/16 x 5.5~12	23GA~16GA
FD1053	Single Bowl, Undermount	23 x 18 x 5.5~10	23GA~16GA
FD1100	Single bowl, Topmount	28 x 22 x 5.5~10	24GA~16GA
FD2039	Double bowl, Undermount	33-1/3 x 18-1/2 x 5.5~9	22GA~16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension (inch)	Thickness
FD1082	Single Bowl, Undermount	28 x 18 x 5.5~9	22GA~16GA
FD1096	Single Bowl, Undermount	32 x 18 x 5.5~9	22GA~16GA
FD2040R	Double bowl, Undermount	32-1/3 x 20.5/18 x 9~7	22GA~16GA
FD1085	Single Bowl, Undermount	25 x 18 x 5.5~9	22GA~16GA
FD1089	Single Bowl, Undermount	15 x 15 x 5.5~8	22GA~16GA
FD1002/2	Single Bowl, Undermount	23 x 18 x 5.5~12	22GA~16GA
FD2014	Double bowl, Undermount	33 x 18 x 5.5~9	20GA~16GA
FD1006-1	Single Bowl, Undermount	28 x 18 x 5.5~9	22GA~16GA
FD1010	Single Bowl, Undermount	32 x 18 x 5.5~9	22GA~16GA
FD2015R	Double bowl, Undermount	33 x 18 x 5.5~9	22GA~16GA
FD1011-1	Single Bowl, Undermount	25 18 x 5.5~9	22GA~16GA
FD1017	Single Bowl, Undermount	16 x 18 x 5.5~8	22GA~16GA
FD1023	Single Bowl, Undermount	33 x 18 x 5.5~9	22GA~16GA
U2318S	Stainless Steel Sink, R0-R25	23 x 18 x 5.5~12	20GA~16GA
U2718S	Stainless Steel Sink, R0-R25	27 x 18 x 5.5~12	20GA~16GA
U3018S	Stainless Steel Sink, R0-R25	30 x 18 x 5.5~12	20GA~16GA
*A3220SC	Stainless Steel Sink, R0-R25	32 x 20 x 7~10	20GA~16GA
T10052S	Stainless Steel Sink, R0-R25	39-3/8 x 20-1/2 x 7~10	20GA~16GA
*T12052H	Stainless Steel Sink, R0-R25	47.2 x 20.5 x 7~10	20GA~16GA
T2722S-L	Stainless Steel Sink, R0-R25	27 x 22 x 7~10	20GA~16GA
T3022S-L	Stainless Steel Sink, R0-R25	30 x 22 x 7~10	20GA~16GA
T3222S-L	Stainless Steel Sink, R0-R25	32 x 22 x 7~10	20GA~16GA
T3322S-L	Stainless Steel Sink, R0-R25	33 x 22 x 7~10	20GA~16GA
U2719S-L	Stainless Steel Sink, R0-R25	27 x 19 x 7~10	20GA~16GA
U3019S-L	Stainless Steel Sink, R0-R25	30 x 19 x 7~10	20GA~16GA
U3219S-L	Stainless Steel Sink, R0-R25	32 x 19 x 7~10	20GA~16GA
U3319S-L	Stainless Steel Sink, R0-R25	33 x 19 x 7~10	20GA~16GA
*U3219S-L	Stainless Steel Sink, R0-R25	32 x 19 x 7~10	20GA~16GA
A3321S-L	Stainless Steel Sink, R0-R25	33 x 21 x 7~10	20GA~16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension (inch)	Thickness
A3321H-L	Stainless Steel Sink, R0-R25	33 x 21 x 7~10	20GA~16GA
A3621H-L	Stainless Steel Sink, R0-R25	36 x 21 x 7~10	20GA~16GA
T3322SL	Drop in ledge sink, single bowl, R0-R15	33 x 22 x 9~10	18GA~16GA
T3322HL	Drop in ledge sink, single bowl, R0-R15	33 x 22 x 9~10	18GA~16GA
U3319SL	Undermount ledge sink, double bowl, R0-R15	33 x 19-5/8 x 9~10	18GA~16GA
U3019SL	Undermount ledge sink, double bowl, R0-R15	30 x 19-5/8 x 9~10	18GA~16GA
U2519SL	Apron Stainless Steel Drop in Sink, Single Bowl, R0-R25	25 x 19-5/8 x 9~10	18GA~16GA
A3322S-D	Stainless Steel 50/50 low divider Sink, R0-R25	33 x 22 x 7~10	20GA~16GA
T3322HU-L	Apron Stainless Steel Sink, Double Bowl, R0-R25	33 x 22 x 7~10	20GA~16GA
A3622H	Apron Stainless Steel Sink, Single Bowl, R0-R25	36 x 21-7/8 x 9~10	20GA~16GA
A3622S	Stainless Steel Sink, R0-R25	36 x 21-7/8 x 9~10	20GA~16GA
*U2115S	Stainless Steel Sink, R0-R25	21 x 15 x 5.5~9	20GA~16GA
U3019S	Stainless Steel Sink, R0-R25	30 x 19 x 5.5~10	20GA~16GA
U3318S	Stainless Steel Sink, R0-R25	33 x 18 x 5.5~10	20GA~16GA
U3419S	Stainless Steel Sink, R0-R25	34 x 19 x 5.5~10	20GA~16GA
U1917S	Stainless Steel Sink, R0-R25	19 x 17 x 5.5~10	20GA~16GA
U1815S	Stainless Steel Sink, R0-R25	15 x 18 x 5.5~10	20GA~16GA
U1519S	Stainless Steel Sink, R0-R25	15 x 19 x 5.5~10	20GA~16GA
AP3219S	Apron Stainless Steel Sink, Single Bowl, R0-R25	32 x 19 x 5.5~10	20GA~16GA
*U1214S	Stainless Steel Sink, R0-R25	12 x 14 x 5.5~10	20GA~16GA
U1717S	Stainless Steel Sink, R0-R25	17 x 17 x 5.5~10	20GA~16GA
U1718S	Stainless Steel Sink, R0-R25	17 x 18 x 5.5~10	20GA~16GA
U2308S	Stainless Steel Sink, R0-R25	23 x 8.5 x 5.5~10	20GA~16GA
U3312S	Stainless Steel Sink, R0-R25	33 x 12 x 5.5~10	20GA~16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension (inch)	Thickness
U3208S	Stainless Steel Sink, R0-R25	32 x 8 x 5.5~10	20GA~16GA
U3618S	Stainless Steel Sink, R0-R25	36 x 18 x 5.5~10	20GA~16GA
*U6018S	Stainless Steel Sink, R0-R25	30 x 18 x 5.5~10	20GA~16GA
U3218HD	Drop In low divider, double bowl, R0-R15	32 x 18 x 5.5~12	20GA~16GA
U3619S	Undermount ledge sink, single bowl, R0-R15	36 x 19 x 7~10	20GA~16GA
U1515S	Undermount ledge sink, single bowl, R0-R15	15 x 15 x 5.5~10	20GA~16GA
A2721S	Apron Stainless Steel Sink, Double Bowl, R0-R25	27 x 20-3/4 x 5.5~10	18GA~16GA
A2321S	Apron Stainless Steel Sink, Double Bowl, R0-R25	23-2/3 x 20 x 5.5~10	18GA~16GA
U2418S	Stainless Steel Sink, R0-R25	24 x 18 x 5.5~10	18GA~16GA
U2817S	Stainless Steel Sink, R0-R25	28 x 17 x 5.5~10	18GA~16GA
U2719SL	Undermount ledge sink, single bowl, R0-R15	27 x 19-5/8 x 7~10	18G~16G
U3018SL	Stainless Steel Sink, R0-R25	30 x 18 x 7~10	20GA~16GA
U3218SL	Stainless Steel Sink, R0-R25	32 x 18 x 7~10	20GA~16GA
U3218DL	Stainless Steel Sink, R0-R25	32 x 18 x 7~10	20GA~16GA
U3018SDL	Stainless Steel Sink, R0-R25	30 x 18 x 7~10	20GA~16GA
U3219SDL	Stainless Steel Sink, R0-R25	32 x 19 x 7~10	20GA~16GA
U3220SDL	Stainless Steel Sink, R0-R25	32 x 20 x 7~10	20GA~16GA
U1918S	Stainless Steel Sink, R0-R25	19 x 18 x 7~10	20GA~16GA
U2317S	Stainless Steel Sink, R0-R25	23 x 17 x 5.5~12	20GA~16GA
U2818H	Stainless Steel Sink, R0-R25	28 x 18 x 7~10	20GA~16GA
A3021SL	Stainless Steel Sink, R0-R25	33 x 21 x 7~10	20GA~16GA
A3621SL	Stainless Steel Sink, R0-R25	36 x 21 x 5.5~10	20GA~16GA
U4019S	Stainless Steel Sink, R0-R25	40 x 19 x 5.5~10	20GA~16GA
U5919S	Stainless Steel Sink, R0-R25	59 x 19 x 5.5~10	20GA~16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



**Issued To:** TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

**Effective Date:** March 2024

**File Number:** 4583

**Revised Date:** July 1, 2024

**Product:** Plumbing Fixtures (Stainless Steel)


**Void After:** March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

U3219H-L

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


### Additional Company Information

AZ Imports, LLC.

Model Number	Description
206	Double bowl, Under Mount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x7-10"
206-6	Double bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5-1/2"
917L	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
917R	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x6-8"/*8"-10"
905L	Double bowl, Undermount, Thickness can be 20GA to 16GA, 31 1/2"*20 1/2"*6 1/2-10"
905R	Double bowl, Undermount, Thickness can be 20GA to 16GA, 31 1/2"*20 1/2"*6 1/2-10"
205	Single bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5.5-10"
1092	Single Bowl, Under Mount 20GA to 16GA, 31-13/16"x18-1/2"x8"-10"
309	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
319	Single bowl, Undermount, Thickness can be 20GA to 16GA, 30"x18"x5.5"-10"
301	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
108	Single Bowl, Under Mount 20GA to 16GA, 18"x16.5"x8"-10"
107	Single bowl, Undermount, Thickness can be 22GA to 16GA, 18-1/2"x15"x7"-8"
303	Single Bowl, Under Mount 20GA to 16GA, 16"x16"x8"-10"
876	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA, 32-1/4"x18-7/8"x8"~10"
109	Single Bowl, Under Mount 18GA18"x16.5"x9"
308	Single bowl, Undermount, Thickness can be 20GA to 16GA, 27"x17-7/8"x5.5"-9"
307	Single bowl, undermount, Thickness can be 20GA to 16GA, 23 3/4"*21 1/4"*9"
105	Single bowl, undermount, 15"*12-5/8"*7"
2034	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA, 31-3/4"x20-7/8"x9"
208	Double bowl, undermount, thickness can be 18GA to 16GA, 34 3/4"*20 3/4"*9"
339	Single Bowl, Top Mount 1, 3 or 4 faucet holes 20GA to 16GA, 33"x21-15/16"x8"-10"
4620	three bowl, undermount, 46 1/2"*20 3/4"*9"(B)/7"(S)"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
830L-R	Double bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5.5"-10"
T3322L	Double bowl top mount, thickness can be 0.81mm to 1.2mm, 33"x22"x9"x8"
T3322	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
T3322S	Single bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x8"
T2522	Single Bowl, Top Mount 1, 3 or 4 faucet holes 20GA to 16GA, 25"x22"x6"-10"
2020	Double bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5.5"-10"
2019L	Double bowl, Undermount, Thickness can be 20GA to 16GA, 31-3/4"x20-5/8"x9-10"/7-8"
2019R	Double bowl, Undermount, Thickness can be 20GA to 16GA, 31-3/4"x20-5/8"x7-8"/9-10"
1027	Single bowl, Undermount, Thickness can be 20GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
R450	Round sink, undermount, Thickness can be 22GA to 16GA, Ø17-3/4"x7"-8"
HBS3218	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 32"x18"x7"-10"
HBE3218	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 32"x18"x7"-10"
HBS3219S	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 32"x19"x7"-10"
HBS3018	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 30"x18"x7"-10"
HBS2318	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 23"x18"x7"-10"
HBO2920AL	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 29"x20"x7"-10"
HBB1818	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 18"x18"x7"-10"
HBE3320	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 33"x20"x7"-10"
HBE3219	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 32"x19"x7"-10"
EFS3021	Apron Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 30"x21"x7"-10"
EFS3320	Apron Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 33"x20"x7"-10"
EFS3620	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25, Thickness can be 20GA to 16GA, 36"x20-1/4"x7-10"
EFD3320	Apron Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 33"x20"x7"-10"
EFD3620	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 36"x20-1/4"x7-10"
EFD3620L	Apron Handmade Stainless Steel Sink, Offset Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 36"x20-1/4"x7-10"
HFE3322	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 33"x22"x7-10"
HFS3022	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25, Thickness can be 20GA to 16GA, 33"x22"x7-10"
HFE3022	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 30"x22"x7-10"
HFS3620	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25, Thickness can be 20GA to 16GA, 36"x20-1/4"x7-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
HFS3622	Apron Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 36"x21"x7"-10"
HFE3622	Apron Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 36"x21"x7"-10"
HBO2920AR	Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 29"x20"x7"-10"
EGE3218	Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 32"x18"x7"-10"
EGO3018	Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 30"x18"x7"-10"
EKD3218	Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 32"x18"x7"-10"


## CONGLOM INC.

Brand: CONGLOM

Model Number	Description
QK50R	Apron Handmade Stainless Steel Sink,R0- R25 20GA to 16GA 33"x21"x7"-10"
QK51R	Apron Handmade Stainless Steel Sink,R0- R25 20GA to 16GA 36"x21"x7"-10"
QK23	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 31-1/4"x20-1/2"x7"-10"
QK23R	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 31-1/4"x20-1/2"x7"-10"
QK33	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 31-1/4"x20-1/2"x7"-10"
QK33R	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 31-1/4"x20-1/2"x7"-10"
QK43	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 31-1/4"x20-1/2"x7"-10"
QK43R	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 31-1/4"x20-1/2"x7"-10"
QK13	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 31-1/4"x20-1/2"x7"-10"
QK13R	Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 31-1/4"x20-1/2"x7"-10"
QK91R	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA 23"x18"x7"-10"
QK92R	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA 30"x18"x7"-10"
QK93R	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA 32"x19"x7"-10"
QK94R	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA 32"x19"x7"-10"
QK95R	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA 32"x19"x7"-10"
QK81R	Single Bowl, Dual Mount 1, 3 or 4 faucet holes 20GA to 16GA, 33"x22"x 8"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


Model Number	Description
QK81C	Single Bowl, Dual Mount 1, 3 or 4 faucet holes 20GA to 16GA, 33"x22"x 8"-10"
QK82R	Double Bowl, Dual Mount 1, 3 or 4 faucet holes 20GA to 16GA,, 33"x22"x 8"-10"
QK82C	Double Bowl, Dual Mount 1, 3 or 4 faucet holes 20GA to 16GA,, 33"x22"x 8"-10"
230006442	Single bowl, Top Mount Thickness can be 20GA to 16GA 28"x22"x5.5~10"

## Dakota Plumbing Products, LLC.

Model Number	Description
GDX-18-2522	Single bowl, Dual Mount, 1, 2, 3 or 4 holes, Thickness can be 20GA to 16GA, 25"x22"x8"-10"
GSR-16-2318	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
GSR-16-3018	Single bowl, Undermount, Thickness can be 20GA to 16GA, 30"x18"x5.5"-10"
GSR-16-3070	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2-10"
GSR-16-3218	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
GSR-16-6040	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
GSR-16-5050	Double Bowl, Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
GSR-16-4060	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x6-8"/8"-10"
GSR-16-7030	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2-10"
GSR-18-1513	single bowl, undermount, 15"*12 5/8"*9"
GSR-18-1519	Single bowl, Undermount, Thickness can be 22GA to 16GA, 18-1/2"x15"x7"-8"
GSR-18-1616	Single Bowl, Under Mount 20GA to 16GA, 16"x16"x8"-10"
GSR-18-16R	Single Bowl, Under Mount 20GA to 16GA, Ø17-3/4"x7"-8"
GSR-18-2318	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
GSR-18-2318ADA	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
GSR-18-2321	single bowl, undermount, 23 3/4"*21 1/4"*9"
GSR-18-2718	Single bowl, Undermount, Thickness can be 20GA to 16GA, 27"x17-7/8"x5.5"-9"
DSR-2718	Single bowl, Undermount, Thickness can be 20GA to 16GA, 27"x17-7/8"x5.5"-9"
GSR-18-3018	Single bowl, Undermount, Thickness can be 20GA to 16GA, 30"x18"x5.5"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
GSR-18-3018ADA	Single bowl, Undermount, Thickness can be, 20GA to 16GA, 30"x18"x5.5"-10"
GSR-18-3070	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2"-10"
GSR-18-3121	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-5/8"x21-1/4"x9"
GSR-18-3218	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
GSR-18-3218ADA	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
GSR-18-3319	Single bowl, Undermount, Thickness can be 20GA to 16GA, 32-1/2"x18-5/8"x9"
GSR-18-4060	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x6-8"/*8"-10"
GSR-18-5050	Double Bowl, Under Mount, 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
GSR-18-5050ADA	Double bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5-1/2"
GSR-18-5050LD	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA, 32-1/4"x18-7/8"x8"-10"
GSR-18-5050S	Double bowl, Undermount, Thickness can be 20GA to 16GA, 29-1/8"x18-1/2"x7"-10"
GSR-18-6040	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
GSR-18-7030	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2"-10"
GS-18-7030	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2"-10"
GSR-18-918	Single bowl, Undermount, Thickness can be 22GA to 16GA, 10-1/2"x18"x6"-7"
GSR-20-C5050	Double bowl, Corner Undermount, Thickness can be 20GA to 16GA, 31-5/16"x31-5/16"x8 3/16"
GSR-20-TM1515-2	single bowl , top-mounted, thickness can be 0.66mm to 1.2mm, 15"*15"*5 1/2"-6"
GSR-20-TM2522-3ADA	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
GSR-20-TM2522-4	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA , 25"x22"x6"-10"
GSR-20-TM3322-3	Single bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x8"-9"
GSR-20-TM5050-3	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
GSR-20-TM5050-3ADA	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
GSR-20-TM5050-4	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
GSR-20-TM50509	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
GSR-20-TM6040-2	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22x 6"-9"
GSR-20-TM6040-3	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22x 6"-9"
GSR-20-TM6040-4	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22x 6"-9"
DSR-167R	Round sink, undermount, Ø17-3/4"x7"-8" Thickness can be 22GA to 16GA
DSR-918	Single bowl, Undermount 10-1/2"x18"x6"-7" Thickness can be 22GA to 16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
DSR-1513	single bowl, undermount 15"x12 5/8"x7"-9" Thickness can be 22GA to 16GA
DSR-1616	Single Bowl, Under Mount 16"x16"x8"-10" Thickness can be 20GA to 16GA
DSR-1915	Single bowl, Undermount, Thickness can be 22GA to 16GA 18-1/2"x15"x7"-8"
DSR-2318	Single bowl, Undermount, thickness can be 23GA to 16GA 23-1/8"x17-7/8"x5.5-10"
DSR-2321	single bowl, undermount 23-5/8" x 21" x 7"-9" 23GA to 16GA
DSR-2718	Single bowl, Undermount, Thickness can be 20GA to 16GA 27"x17-7/8"x5.5"-9"
DSR-3018	Single bowl, Undermount, Thickness can be 20GA to 16GA 30"x18"x5.5"-10"
DSR-3070	Double bowl, Undermount 31-1/2 x 20-1/2 x 5~8 / 7~10 23GA~16GA
DSR-3121	Single bowl, Undermount, Thickness can be 20GA to 16GA 31-5/8"x21-1/4"x9"
DSR-3218	Single Bowl, Undermount 32-3/8 x 18-1/8 x 5.5~10 23GA~16GA
DSR-3319	Single bowl, Undermount, Thickness can be 20GA to 16GA 32-1/2"x18-5/8"x9"
DSR-4060	Double bowl, Undermount, Thickness can be 23GA to 16GA 31 7/8"x20 5/8"x8"-10"/6"-8"
DSR-5050	Double Bowl, Under Mount 20GA to 16GA 32-3/8"x18-1/8"x7"-10"
DSR-5050LD	Double bowl, Undermount 32-3/8 x 18-1/8 x 7~10 20A~16GA
DSR-6040	Double bowl, Undermount, Thickness can be 23GA to 16GA 31 7/8"x20 5/8"x8"-10"/6"-8"
DSR-7030	Double bowl, No Mounting Hole, Undermounted 31 1/2"x20 1/2"x6 1/2"-10"
GSMR2318	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 23"x18"x7"-10"
GSMR2718	Stainless Steel Sink, R0-R25 27 x 18 x 5.5~12 20GA~16GA
GSMR3018	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 30"x18"x7"-10"
GSMR3218	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x18"x7"-10"
GSMR5050	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x18"x7"-10"


Dax International Brokers Inc

Brand: DAX

Model Number	Description	Dimension
--------------	-------------	-----------

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
DX-SQ-3320F	Apron Handmade Stainless Steel Sink. R0-R2520GA to 16GA	33"x20"x7"10"
DX-SQ-3321	Apron Handmade Stainless Steel Sink. R0-R2520GA to 16GA	33"x21"x7"10"
DX-2321	single bowl, undermount	23 3/4"*21 1/4"*9"
DX-2317	Single bowl. Undermount, thickness can be 23GA to 16GA	23-1/8"X17-7/8"x5.5-10"
DX-2317A	Single bowl. Undermount, thickness can be 23GA to 16GA	23-1/8"X17-7/8"x5.5-10"
DX-OM-2522	Single Bowl, Top Mount 1, 3 or 4 faucet holes 23GA to 16GA	25"x22"x5.5"-10"
DX-OM-1515	single bowl top-mounted, thickness can be 0.66mm to 1.2mm	15"*15"*5 1/2"-6"
DX-1816	Single Bowl, Under Mount 20GA to 16GA	18"x16.5"x8"-10"
DX-2818	Single bowl. Undermount. Thickness can be 20GA to 16GA	27"x17-7/8"x5.5"-9"
DX-OM-3323	Single bowl, Top mount, 1, 2, 3 or 4 holes. Thickness can be 23GA to 16GA	33"x22"x8"-9"
DX-1720	single bowl, undermount, 22GA to 16GA	20-7/8"x17-7/8"x5-1/2-9"
DX-OM-1717	single bowl universal-mounted with ss and zinc alloy sink strainer thickness can be 0.81mm to 12mm	17"*17*6"
DX-3018	Single bowl, Undermount, Thickness can be 20GA to 16GA	30"x18"x5.5"-10"
DX-3018A	Single bowl, Undermount, Thickness can be 20GA to 16GA	30"x18"x5.5"-10"
DX-1616	Single Bowl, Under Mount 20GA to 16GA	16"x16"x8"-10"
DX-3120R	Double bowl. Undermount, Thickness can be 23GA to 16GA	31 7/8"x20 5/8"x8"-10"/6"
DX-3120L	Double bowl. Undermount, Thickness can be 23GA to 16GA	31 7/8"x20 5/8"x6-8"*8"-10"
DX-3118	Double Bowl, Under Mount 20GA to 16GA	32-3/8"x18-1/8"x7"-10"
DX-OM-3322	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA	33"x22"x5.5-9"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
DX-2918	Double bowl Undermount. Thickness can be 20GA to 16GA	29-1/8"x18-1/2"x7"-10
DX-3121R	Double bowl, No Mounting Hole, Under-mounted	31 1/2"*20 1/2"*6 1/2"-10"
DX-SQ-1512	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA	15x12-1/2x5.5-10
DX-SQ-1618-X	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	16"x18"x7"-10"
DX-SQ-2318-X	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	23"x18"x7"-10"
DX-SQ-2318	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	23"x18"x7"-10"
DX-T2318-R10	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	23"x18"x7"-10"
DX-NB2318-R10	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	23"x18"x7"-10"
DX-SQ-2818-X	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	28"x18"x7"-10"
DX-SQ-3018-X	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	30"x18"x7"-10"
DX-T3018-R10	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	30"x18"x7"-10"
DX-NB3018-R10	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	30"x18"x7"-10"
DX-SQ-3018	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	30"x18"x7"-10"
DX-NB3218-R10	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x18"x7"-10"
DX-SQ-3219A-X	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x19"x7"-10"
DX-T3219A-R10	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x19"x7"-10"
DX-SQ-3219A	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x19"x7"-10"
DX-SQ-3219-X	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA	32"x19"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

File Number: 4583

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: March 2024

Revised Date: July 1, 2024


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description	Dimension
DX-T3219-R10	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	32"x19"x7"-10"
DX-SQ-3219	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	32"x19"x7"-10"
DX-WS3021-R10	Apron Handmade Stainless Steel Sink,R0- R25,20GA to 16GA	30"x21"x7"-10"
DX-WS3621-R10	Apron Handmade Stainless Steel Sink,R0- R25,20GA to 16GA	36"x21"x7"-10"
DX-3218	Double Bowl,Under Mount, Low Divider 20GA to 16GA	32-3/8"x18-1/8"x7"-10"
DX-3121L	Double bowl 20/80, No Mounting Hole, Under-mounted	31 1/2"*20 1/2"*6 1/2"-10"
DX-4820	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA	47.2"x20.5"x7"-10"
DX-WS3019-R10	Workstation Handmade Stainless Steel Sink,R0-R25,20GA to 16GA	30"x19"x7"-10"
DX-WS3219-R10	Workstation Handmade Stainless Steel Sink, R0-R25,20GA to 16GA	32"x19"x7"-10"
DX-WS3219D-R10	Workstation Handmade Stainless Steel Sink, R0-R25,20GA to 16GA	32"x19"x7"-10"
DX-WS3321-R10	Apron Handmade Stainless Steel Sink. R0- R25,20GA to 16GA	33"x21"x7"10
DX-SQ-1918	Handmade Stainless Steel Sink,R0- R25,20GA to 16GA	19"x18"x7"-10"
DX-SQ-2818	Handmade Stainless Steel Sink,R0- R25,20GA to 16GA	28"x18"x7"-10"
DX-WS4019-R10	Handmade Stainless Steel Sink,R0- R25,,20GA to 16GA	40"X19"X5.5"-10
DX-WS5919-R10	Handmade Stainless Steel Sink,R0- R25,,20GA to 16GA	59"X19"X5.5"-10
DX-WSNB3018-R10	Handmade Stainless Steel Sink,R0- R25,,20GA to 16GA	30"x18"x7"-10"
DX-WS23018-R10	Handmade Stainless Steel Sink,R0- R25,,20GA to 16GA	30"x18"x7"-10"
DX-WSNB3219-R10	Handmade Stainless Steel Sink,R0- R25,,20GA to 16GA	32"x18"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


Model Number	Description	Dimension
DX-WS23219-R10	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA	32"x18"x7"-10"
DX-WSNB3219D-R10	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA	32"x18"x7"-10"
DX-WS23219D-R10	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA	32"x18"x7"-10"

## EL COMPANERO INC

Model Number	Description
EL-PKS-H2318S	Stainless Steel Sink, R0-R25 23 x 18 x 5.5~12 20GA~16GA
EL-PKS-H2218S	Handmade Stainless Steel Sink, 20GA to 16GA 22"x18"x5-1/2"-10"
EL-PKS-H3018S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 30"x18"x7"-10"
EL-PKS-H3218S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x18"x7"-10"
EL-PKS-H3218D	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x18"x7"-10"
EL-PKS-H3219S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x19"x7"-10"
EL-PKS-H3219D	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x19"x7"-10"
EL-PKS-HT3322S	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 33"x22"x7"-10"
EL-PKS-HT3322D	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA, 33"x22"x7"-10"
EL-PKS-HF3322S	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, Thickness can be 20GA to 16GA 33"x22"x7-10"
EL-PKS-HF3322D	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 33"x22"x7-10"
EL-PKS-HF3622S	Stainless Steel Sink, R0-R25 36 x 21-7/8 x 9~10 20GA~16GA
EL-PKS-HF3622D	Stainless Steel Sink, R0-R25 36 x 21-7/8 x 9~10 20GA~16GA
EL-PKS-HF3022S	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, Thickness can be 20GA to 16GA 30"x22"x7-10"
EL-PKS-HF3219S	Apron Stainless Steel Sink, Single Bowl, R0-R25 32 x 19 x 5.5~10 20GA~16GA
EL-PKS-P1512S	single bowl, undermount Thickness can be 22GA to 16GA 15"x12 5/8"x7"-9"
EL-PKS-P1518S	Single bowl, Undermount, Thickness can be 22GA to 16GA 18-1/2"x15"x7"-8"
EL-PKS-P2318S	Single bowl, Undermount, thickness can be 23GA to 16GA 23-1/8"x17-7/8"x5.5-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
EL-PKS-P2918D	Double bowl, Undermount, Thickness can be 20GA to 16GA 29-1/8"x18-1/2"x7"-10"
EL-PKS-P3018S	Single bowl, Undermount, Thickness can be 20GA to 16GA 30"x18"x5.5"-10"
EL-PKS-P3118S	Single bowl, Undermount, Thickness can be 20GA to 16GA 31-1/2"x18-3/8"x5.5"-10"
EL-PKS-P3218D	Double Bowl, Under Mount 20GA to 16GA 32-3/8"x18-1/8"x7"-10"
EL-PKS-PT3322S	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x5.5~9"
EL-PKS-PT3322D	Single bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x8"-9"
EL-PKS-PT2522S	Single Bowl, Top Mount 1, 3 or 4 faucet holes 23GA to 16GA 25"x22"x5.5"-10"
EL-PKS-PT1919S	Single Bowl, Top Mount 23GA to 20GA 19-3/16"x19-3/16"x5.5"-8"
EL-PKS-PT1515S	single bowl ,top-mounted, thickness can be 0.66mm to 1.2mm 15"*15"*5 1/2"-6

## Ferguson Enterprises, LLC.

Ferguson and its Proprietary Own Brands (for complete list of Ferguson brands, please refer to [www.Ferguson.com](http://www.Ferguson.com))

### Mirabelle®


Model Number	Description
MIRUC2318	23-13/16"x18-1/2"x9", Single bowl, under mount, thickness can be 20 gauge to 16 gauge

### PROFLO®

Model Number	Description
PFD1B332281	33"x22"x8", single bowl, dual mount, thickness can be 20 gauge to 16 gauge
PFD1B332284	33"x22"x8", single bowl, dual mount, thickness can be 20 gauge to 16 gauge
PFD2B332281	33"x22"x8", double bowl, dual mount, thickness can be 20 gauge to 16 gauge
PFD2B332284	33"x22"x8", double bowl, dual mount, thickness can be 20 gauge to 16 gauge
PFSR172273A	17"*22"*7" single bowl, top mount, thickness can be 0.73mm to 1.2mm
PFSR332273A	33"*22"*7" double bowl top mount, thickness can be 0.73mm to 1.2mm
PFSR332274A	33"*22"*7" double bowl top mount, thickness can be 0.73mm to 1.2mm
PFSR332283A	33"*22"*8" double bowl, top mount, thickness can be 0.73mm to 1.2mm

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
PFSR332284A	33**22**8" double bowl, top mount, thickness can be 0.73mm to 1.2mm
PFSR2521551C	Single bowl, Top Mount 25"x21-1/4"x5.5~9" 23GA to 16GA
PFSR2521553C	Single bowl, Top Mount 25"x21-1/4"x5.5~9" 23GA to 16GA
PFSR2521554C	Single bowl, Top Mount 25"x21-1/4"x5.5~9" 23GA to 16GA
PFSR2522653	Single Bowl, Top Mount 1, 3 or 4 faucet holes 25"x22"x5.5"-10" 23GA to 16GA
PFSR332263	Single Bowl, Top Mount 1, 3 or 4 faucet holes 25"x22"x5.5"-10" 23GA to 16GA
PFSR332264	Single Bowl, Top Mount 1, 3 or 4 faucet holes 25"x22"x5.5"-10" 23GA to 16GA

### Signature Hardware

Model Number	Description
SHORUC2318	23-13/16"x18-1/2"x9", Single bowl, under mount, thickness can be 20 gauge to 16 gauge


## Keller Supply Company

Brand: CAITLIN

Model Number	Description
467745	single bowl, undermount, 23 3/4**21 1/4**9"
560201	Double Bowl, Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
560204	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
560213	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x6-8"/*8"-10"
560234	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
581271	Double bowl, No Mounting Hole, Undermounted, 31 1/2**20 1/2**6 1/2-10"
581272	Double bowl, No Mounting Hole, Undermounted, 31 1/2**20 1/2**6 1/2-10"
581273	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
630800	Single bowl, Undermount, Thickness can be 22GA to 16GA, 18-1/2"x15"x7"-8"
941667	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
941680	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


Model Number	Description
942065	single bowl ,top-mounted, thickness can be 0.66mm to 1.2mm15**15**5 1/2"-6"
942068	single bowl ,top-mounted, thickness can be 0.66mm to 1.2mm15**15**5 1/2"-6"
942071	Single Bowl,Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
942073	Single Bowl,Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
1354215	Double bowl, Undermount 32-3/8 x 18-1/8 x 7~10 Thickness can be 20A~16GA

### Kingston Brass, Inc.

Model Number	Description
GKTD33226	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x5.5~9"
GKTD33227	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x5.5~9"
GKTD33228	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x5.5~9"
GKTD332281	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x5.5~9"
GKTD332283	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x5.5~9"
GKTD332291	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x5.5~9"
GKTDD33221C	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22x 6"-9"
GKTDD33221CH	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22x 6"-9"
GKTDD3322C	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22x 6"-9"
GKTDD3322CH	Double bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22x 6"-9"
GKTS1515	single bowl ,top-mounted, thickness can be 0.66mm to 1.2mm 15**15**5 1/2"-6"
GKTS15151	single bowl ,top-mounted, thickness can be 0.66mm to 1.2mm 15**15**5 1/2"-6"
GKTS2520	Single Bowl,Top Mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 25"x22"x5.5"-10"
GKTS2522	Single Bowl,Top Mount 1, 3 or 4 faucet holes 23GA to 16GA 25"x22"x6"-10"
GKTS25227	Single Bowl,Top Mount 1, 3 or 4 faucet holes 23GA to 16GA 25"x22"x6"-10"
GKTS25228	Single Bowl,Top Mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 25"x22"x5.5"-10"
K25228BN	Single Bowl,Top Mount 1, 3 or 4 faucet holes 23GA to 16GA 25"x22"x6"-10"
GKTS252281	Single Bowl,Top Mount 1, 3 or 4 faucet holes 23GA to 16GA 25"x22"x6"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
GKTS252291	Single Bowl, Top Mount 1, 3 or 4 faucet holes 20GA to 16GA 25"x22"x6"-10"
GKTS332290	Single bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x8"-9"
GKTS3322901	Single bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 33"x22"x8"-9"
GKUD3118	Double Bowl, Under Mount 20GA to 16GA 32-3/8"x18-1/8"x7"-10"
GKUD32199	Double Bowl, Under Mount 20GA to 16GA 32-3/8"x18-1/8"x7"-10"
KU32188DBN	Double Bowl, Under Mount 20GA to 16GA 32-3/8"x18-1/8"x7"-10"
GKUD3221	Double bowl, Undermount, Thickness can be 23GA to 16GA 31 7/8"x20 5/8"x8"-10"/6"-8"
GKUD3221P	Double bowl, Undermount, Thickness can be 23GA to 16GA 31 7/8"x20 5/8"x8"-10"/6"-8"
GKUS16168	Single Bowl, Under Mount 20GA to 16GA 16"x16"x8"-10"
KU14167BN	Single bowl, Undermount, Thickness can be 22GA to 16GA 18-1/2"x15"x7"-8"
GKUS2321	single bowl, undermount 23 3/4"x21 1/4"x9"
GKUS3018	Single bowl, Undermount, Thickness can be 20GA to 16GA 30"x18"x5.5"-10"
KU311810BN	Single bowl, Undermount, Thickness can be 20GA to 16GA 30"x18"x5.5"-10"
KU23189BN	Single bowl, Undermount, thickness can be 23GA to 16GA 23-1/8"x17-7/8"x5.5-10"
GKTS252281	Single Bowl, Top Mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA 25"x22"x5.5"-10"
KU12106BN	Single Bowl, Undermount Thickness can be 22GA to 16GA 15"x12 5/8"x7"-9"
GKDS302292	Stainless Steel Sink, R0-R25 30 x 22 x 7~10 Thickness can be 20GA~16GA
GKDS332292	Drop in ledge sink, single bowl, R0-R15 33 x 22 x 9~10 Thickness can be 18GA~16GA
GKDD33229	Drop in ledge sink, single bowl, R0-R15 33 x 22 x 9~10 Thickness can be 18GA~16GA
GKUSF332210	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, Thickness can be 20GA to 16GA 33"x22"x7-10"
GKUS321910	Stainless Steel Sink, R0-R25 32 x 19 x 7~10 Thickness can be 20GA~16GA
GKDS151581	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 15"x15"x7"-10" Thickness can be 20GA to 16GA
GKTDF33209	Apron Handmade Stainless Steel Sink, R0- R25 33"x20"x7"-10" Thickness can be 20GA to 16GA
GKTDF36209	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25 36"x20-1/4"x7-10" Thickness can be 20GA to 16GA
GKTSF30209	Apron Handmade Stainless Steel Sink, R0-R25 30"x20"x7"-10" Thickness can be 20GA to 16GA
GKTSF33209	Apron Handmade Stainless Steel Sink, R0-R25 33"x20"x7"-10" Thickness can be 20GA to 16GA
GKTSF36209	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25 36"x20-1/4"x7-10" Thickness can be 20GA to 16GA
GKUSF332110	Apron Handmade Stainless Steel Sink, R0-R25 33"x21"x7"-10" Thickness can be 20GA to 16GA
KUF302110BN	Apron Handmade Stainless Steel Sink, R0-R25 30"x21"x7"-10" Thickness can be 20GA to 16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


## LaSalle Bristol

Brand Name: Utopia

Model Number	Description
13GZ458	18-1/2"x8" round single bowl, topmount
13TF1108	11-5/8"x4-1/2" single bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TF1917A162	19 5/16"x17 5/16"x7" single bowl, top mount, thickness can be 0.66mm to 1.2mm
13TF2515S1	25"x15"x7"-10", SINGLE BOWL, thickness can be 0.8 mm to 1.5mm
13TF2522A164	25"x22"x6" single bowl, topmount, thickness can be 0.66mm to 1.2mm
13TF2522A174	25"x22"x7" single bowl, topmount, thickness can be 0.66mm to 1.2mm
13TF2522A184	25"x22"x8" single bowl, topmount, thickness can be 0.66mm to 1.2mm
13TF2716S1	27"x16"x7"-10", SINGLE BOWL, thickness can be 0.8 mm to 1.5mm
13TFD1412	14-1/3"x12"x5"-6" single bowl, top-mounted sink, thickness can be 0.8mm to 1.0mm
13TFD2515S2	25"x15"x7"-10", SINGLE BOWL, thickness can be 0.8 mm to 1.5mm
13TFD2716S2	27"x16"x7"-10", SINGLE BOWL, thickness can be 0.8 mm to 1.5mm
13TFD3021A	30"x21"x7"-10", 1 BOWL FARM SINK W/APRON, thickness can be 1.0mm to 1.5mm, R0
13TFD3021B	30"x21"x7"-10", 1 BOWL FARM SINK W/APRON, thickness can be 1.0mm to 1.5mm, R10-25
13TFD3120S	31"x20"x7"-10", 1 BOWL FARM SINK DUAL MOUNT W/APRON, thickness can be 1.0mm to 1.5mm
13TFD3321A	33"x21"x7"-10", 1 BOWL FARM SINK W/APRON, thickness can be 1.0mm to 1.5mm, R0
13TFD3321B	33"x21"x7"-10", 1 BOWL FARM SINK W/APRON, thickness can be 1.0mm to 1.5mm, R10-25
13TFD3322S	33"x22"x7"-10", 1 BOWL FARM SINK DUAL MOUNT W/APRON, thickness can be 1.0mm to 1.5mm
13TFD3621A	36"x21"x7"-10", 1 BOWL FARM SINK W/APRON, thickness can be 1.0mm to 1.5mm, R0
13TFD3621B	36"x21"x7"-10", 1 BOWL FARM SINK W/APRON, thickness can be 1.0mm to 1.5mm, R10-25
13TFS3218	32 1/4"x18"x8" double bowl, undermount, thickness can be 1.0mm to 1.5mm
13TFS3322S	33"x22"x7"-10", 2 BOWL FARM SINK DUAL MOUNT W/APRON, thickness can be 1.0mm to 1.5mm
13TGD151522	15"x15"x6" single bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGD2020103	20.5"x20.5"x10" double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGD202063	20.5"x20.5"x6" double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


Model Number	Description
13TGD202073	20.5**20.5**7"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGD202083	20.5**20.5**8"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGD202093	20.5**20.5**9"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS312063	31.6**20.6**6"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS312073	31.6**20.6**7"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS312083	31.6**20.6**8"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS312093	31.6**20.6**9"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS331964	33**19**6"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS331974	33**19**7"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS331984	33**19**8"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS331994	33**19**9"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
13TGS332264	33**22**6"double bowl, top-mounted sink, thickness can be 0.73mm to 1.2mm
13TGS332274	33**22**7"double bowl, top-mounted sink, thickness can be 0.73mm to 1.2mm
13TGS332284	33**22**8"double bowl, top-mounted sink, thickness can be 0.73mm to 1.2mm
13TLSB25155	25**15**5" double bowl, thickness can be 0.66mm to 1.2mm
13TLSB27167	27**16**7" double bowl, thickness can be 0.66mm to 1.2mm
13TF1310	1310 Oval Sink, Top Mount, Ø13-3/8"x10-5/8"x5"
13TF0105	Ø10-7/16 Round Sink, Top Mount, Ø10-7/16"x5"
13TF0130	Ø13 Round Sink, Top Mount, Ø13"x4-1/2~5-1/2"

### Luobang Kitchen & Bath (Thailand) Co., Ltd.

Model Number	Description
LB0206	33**22**6"
LB0207	33**22**7"
LB0262	33**22**6 1/2"
LB0272	33**22**7 1/2"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LB1001	single bowl, undermount 23 3/4"x21 1/4"x9"
LB1002	Single bowl. Undermount, thickness can be 23GA to 16GA 23-1/8"x17-7/8"x5.5-10"
LB1004	round single bowl, topmount 19 1/3"x6 3/4"
LB1005	round single bowl, topmount 20"x8"
LB1006	round single bowl, topmount 18 1/2"x8"
LB1008	single bowl top-mounted, thickness can be 0.66mm to 1.2mm 15"x15"x5 1/2"-6"
LB1009	single bowl, topmount 17"x22"x7"
LB1011	oval single bowl bar sink, undermount 19 1/4"x16 1/4"x5 7/8"
LB1014	Single bowl, Undermount, Thickness can be 22GA to 16GA 18-1/2"x15"x7"-8"
LB1025	Single bowl, Undermount, Thickness can be 22GA to 16GA 15"x12 5/8"x7"-9"
LB1030	(B)double bowl,undermount 40 1/2"x19"x7 1/2"
LB1031	single bowl,undermount 23"x17 3/4"x9"
LB1060	single bowl universal-mounted with ss and zine alloy sink strainer. thickness can be 0.81mm to 1.2mm 25"x22"x8"
LB1070	single bowl universal-mounted with ss and zine alloy sink strainer. thickness can be 0.81mm to 1.2mm 25"x22"x9"
LB1071	single bowl universal-mounted with ss and zine alloy sink strainer. thickness can be 0.81mm to 1.2mm 33"x22"x8"
LB1072	single bowl universal-mounted with ss and 33"x22"x8" zine alloy sink strainer. thickness can be 0.81mm to 1.2mm 33"x22"x8"
LB1075	single bowl universal-mounted with ss and zine alloy sink strainer thickness can be 0.81mm to 1.2mm 17"x17"x6"
LB1077	single bowl top-mounted sink with strainer. thickness can be 1.17mm to 1.2mm 25"x22"x12"
LB1083-10	single bowl top-mounted with stainless steel sink strainer thickness can be 0.66mm to 1.2mm 20.5"x20.5"x10"
LB1083-6	single bowl top-mounted sink with strainer. thickness can be 1.17mm to 1.2mm 20.5"x20.5"x6"
LB1083-7	Single. top-mounted sink, Thickness can be 0.66mm to 1.2mm 20.5"x20.5"x7"
LB1083-8	Single Bowl top-mounted sink. Thickness 20.5"x20.5"x6 can be 0.66mm to 1.2mm 20.5"x20.5"x8"
LB1083-9	Single Bowl top-mounted sink. Thickness 20.5"x20.5"x7 can be 0.66mm to 1.2mm 20.5"x20.5"x9"
LB1087	Top Mount Sink Single Bowl 3322F, Thickness can be 1.0mm to 12mm 33" x 22" x 8"
LB1088	single bowl top-mounted sink, thickness can be 0.66mm to 12mm 11-5/8"x4-1/2"
LB1120-500	double bowl with drain board 44 1/8"x19 11/16"x7 1/8"(L)6"(R)
LB1180-480	double bowl with drain board 46 7/16"x18 7/8"x6 7/8"
LB1180C	three bowl, undermount 46 1/2"x20 3/4"x9"(B)7"(S)
LB1230-480	double bowl with drain board 48 7/16"x18 7/8"x7 1/8"(L)6"(R)

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LB1410-500	double bowl with drain board 44 1/8**19 11/16**7 1/8"(L)/6"(R )
LB2001	double bowlundermount. thickness can be 0.66mm to 1.35mm 31 7/8**20 5/8"8"-9"/6-7"
LB2003	double bowlundermount thickness can be 0.73mm to 1.2mm 32**21**9"(L)/5 1/2"(R)
LB2004	double bowl,undermount thickness can be 0.66mm to 1.35mm 31 1/2**20 3/4"9"(L)/7"(R)
LB2005	Double bowl, top mount, 1, 2, 3 or 4 holes,Thickness can be 23GA to 16GA 33"x22"x5.5-9
LB2006	double bowl, undermount 34 3/4**20 3/4**g
LB2017	double bowltopmount 33**22**9 3/4"
LB2017-F/3	double bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm 33**22**9"
LB2018	Double bowl Undermount. Thickness can be 20GA to 16GA 29-1/8"x18-1/2"x7"-10
LB2033	double bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm 33**22**8"
LB2034	double bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm 33**22"9"/8"
LB2035	double bowl top-mounted sink with faucet&strainer, thickness can be 0.81mm to1 .35mm 31**20 1/2**8"
LB2036	double bowl top-mount sink with strainer,thickness can be 0.81mm to 1.35mm 27**20 3/8**L8"/R7"
LB2038	Double bowl, No Mounting Hole, Under-mounted 31 1/2**20 1/2**6 1/2-10"
LB2041	double bowl, top-mounted sink, thickness can be 0.8mm to 1.0mm 27"x16"x7
LB2042	double bowl, top-mounted sink, thicknesscan be 0.66mm to 1.2mm 25"x15-1/4"x5-1/2
LB2048-6	double bowl, top-mounted sink, thicknesscan be 0.66mm to 1.2mm 33**19"6
LB2048-7	double bowltop-mounted sink, Thickness can be 0.66mm to 1.2mm 33**19**7"
LB2048-8	double bowltop-mounted sink, Thickness can be 0.66mm to 12mm 33**19**8"
LB2048-9	double bowl top-mounted sink, Thickness can be 0.66mm to 12mm 33**19**9"
LB2049-6	double bowl top-mounted sink, Thickness can be 0.66mm to 1.2mm 31.6**20.6**6"
LB2049-7	double bowltop-mounted sink, Thickness can be 0.66mm to 12mm 31.6**20.6**7"
LB2049-8	double bowl, top-mounted sink, Thickness can be 0.66mm to 1.2mm 31.6**20.6**8"
LB2049-9	double bowl. top-mounted sink. Thicknesscan be 0.66mm to 1.2mm 31.6**20.6**9"
LB2050	Butterfly Sink Double Bowl, Thickness can be 1.0mm to 1.2mm 33"x 22"x 9"
LB2070	double bowl,no mounting hole,top-mountsink 33**17 3/4"5 7/8"
LB2073	double bowl under-mounted with plastic sink strainer.thickness can be 0.81mm to 1.2mm. 30 5/8**17 3/8**8"
LB2074	double bowl top-mounted with plastic sink strainer thickness can be 0.81mm to 1.2mm. 31 5/16**20 7/8"8"
LB2074-F/2	Double bowl top-mounted with plastic sink strainer thickness can be 0.81mm to 1.2mm 31 5/16**20 7/8**8"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LB220A	single bowl undermount 22 1/2**17**6",7",or 8"
LB2318-412	ADA single bowl kitchen sink.undermount 23**17 3/4**4 1/2
LB2522	single bowltopmount 25**22**9"
LB3118	single bowlundermount 32 1/2**18 1/2**10"
LB317S	single bowl, topmount 33 1/2**17 3/4**6 3/4"
LB3221	double bowlundermount 32**21 1/4**9"(L)/5"(R)
LB3322A	double bowltopmount 33**22**9"(L)5"(R)
LB3322B	double bowltopmount 33**22**9"(L)7"(R)
LB342A	single bowl with drain board. topmount 39 2/5**19 5/6**6
LB342B	single bowl with drain board, topmount 39 2/5**19 5/6**7"
LB342C	single bowl with drain board. topmount 39 2/5**19 5/6**8"
LB343A	single bowl with drain board, topmount 30 5/6**19**6"
LB343B	single bowl with drain board, topmount 30 5/6**19**7"
LB343C	single bowl with drain board, topmount 30 5/6**19**8"
LB440-380	square single sink, drop in 17 5/6**15**7"
LB455	single bowl half circle, topmount 18**13 1/2**6"
LB456-266	single bowl undermount 17 15/16**10 1/2**7"
LB485-417	single bowl, topmount 19 1/4**16 1/2**7"
LB490-440	square single sink, drop in 19 5/16**17 5/16**7"
LB495-445	square single sink undermount 19 1/2**17 1/2**11"
LB495-495	square single sink, undermount 19 1/2**19 1/2**9 1/2"
LB501	double bowl undermount 32**17 3/4**8"(L)7"( R)
LB505	double bowl, undermount 29 1/4**18 1/2**7"
LB560A	double bowl, undermount 30 1/2**17 1/2**6",7",or 8"
LB560A-918	double bowlundermount 30 1/2**18 1/4**9"
LB617C	double bowl, topmount 33 1/2**17 3/4**6 3/4"
LB648-495	square single sink. undermount sink, Thickness can be 0.73mm to 1.5mm 25 1/2**19 1/2**11"
LB1090	Single Bowl, Thickness can be 0.66mm to 1.2mm 33"x22" x9"
LB2051	double bowl Thickness can be 0.66mm to 1.2mm 25 X 15X5

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LB2052	double bowl Thickness can be 0.66mm to 1.2mm 27 X 16 X 7
LB2001L	Double bowl. Undermount, Thickness can be 23GA to 16GA 31 7/8"x20 5/8"x8"-10"6"
LB2001R	Double bowl. Undermount, Thickness can be 23GA to 16GA 31 7/8"x20 5/8"x6-8"x8"-10"
LB1086	Single bowl. Undermount. Thickness can be 20GA to 16GA 31-1/2"x18-3/8"x5.5-10
LB1032	Single bowl, Top mount, 1, 2, 3 or 4 holes. Thickness can be 23GA to 16GA 33"x22"x8"-9"
LB2002ADA	Double bowl. Undermount. Thickness can be 20GA to 16GA 32-3/8"x18-1/8"x5-1/2"
LB2020	Double bowl. Undermount. Thickness can be 20GA to 16GA 32-3/8"x18-1/8"x5.5-10
LB2021	Double bowl. Undermount. Thickness can be 20GA to 16GA 31-1/4"x18"x5.5"-10
LB2019L	Double bowl. Undermount. Thickness can be 20GA to 16GA 31-3/4"x20-5/8"x9-10"7-8"
LB2019R	Double bowl. Undermount. Thickness can be 20GA to 16GA 31-3/4"x20-5/8"x7-8"9-10"
LB1028	Single Bowl. Undermount. Thickness can be 20GA to 16GA 32-3/8"x18-1/8"x5.5-10
LB1027	Single Bowl, Undermount, Thickness can be 20GA to 16GA 23-1/8"x17-7/8"x5.5-10
LB2099	Double bowl, Top mount, 1, 2, 3 or 4 holes. Thickness can be 20GA to 16GA 33"x22"x8"10"
LB2022	Double bowl, Top mount, 1, 2, 3 or 4 holes. Thickness can be 20GA to 16GA 33"x22"x6"-9"
LB2013	Double bowl. Low divider. Undermount Thickness can be 20GA to 16GA 32-1/4"x18-7/8"x8"-10"
LB1024	Single bowl. Undermount. Thickness can be 20GA to 16GA 27"x17-7/8"x5.5"-9"
LB1065	Round sink, undermount, Thickness can be 22GA to 16GA 17-3/4"x7"-8"
LB1003	Single bowl. Undermount. Thickness can be 22GA to 16GA 10-1/2"x18"x6"-7"
LB2034/2	Double bowl. Low divider. Undermount. Thickness can be 20GA to 16GA 31-3/4"x20-7/8"x9"
LB1099	Single bowl, Undermount, Thickness can be 20GA to 16GA 31-5/8"x21-1/4"x9"
LB1035	Single bowl. Undermount Thickness can be 20GA to 16GA 32-1/2"x18-5/8"x9"
LB2023	Double bowl. Corner Undermount, Thickness can be 20GA to 16GA 31-5/16"x31-5/16"x8 3/16"
LA2421S	Apron Handmade Stainless Steel Sink. R0- R25 20GA to 16GA 24 3/8"x 20 3/4"x7"-10"
LA2320S	Apron Handmade Stainless Steel Sink. Single bowl. R0-R25. Thickness can be 20GA to 16GA 23"x20"x7-10"
LA2418S	Apron Handmade Stainless Steel Sink. R0-R25, Thickness can be 20GA to 16GA 24"X 18"x7"-10"
LA2420S	Apron Handmade Stainless Steel Sink. R0-R25, Thickness can be 20GA to 16GA 24" x 20"x7"-10"
LA2421S-1	Apron Handmade Stainless Steel Sink. R0-R25, Thickness can be 20GA to 16GA 24"x 21"x7"-10"
LA2716S	Apron Handmade Stainless Steel Sink. R0-R25, Thickness can be 20GA to 16GA 27" x 16"x7"-10"
LA2720S	Apron Handmade Stainless Steel Sink. R0-R25, Thickness can be 18GA to 16GA 27x20-1/4x10-11

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LA2722S	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25 Thickness can be 20GA to 16GA 27"x22"x7"-10"
LA3020S	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 30"x20"x7"-10"
LA3021S	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 30"x21"x7"-10"
LA3022H	Apron Handmade Stainless Steel Sink. Double Bowl, R0-R25, Thickness can be 20GA to 16GA 30"x22"x7"-10"
LA3022S	Apron Handmade Stainless Steel Sink. Double Bowl, R0-R25, Thickness can be 20GA to 16GA 30"x22"x7"-10"
LA3220H	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 32"x20"x7"-10"
LA3220O	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 32"x20"x7"-10"
LA3320H	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 33"x20"x7"-10"
LA3320O	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 33"x20"x7"-10"
LA3320S	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 33"x20"x7"-10"
LA3321H	Apron Handmade Stainless Steel Sink. R0-R25. Thickness can be 20GA to 16GA 33"x21"x7"-10"
LA3321O	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 33"x21"x7"-10"
LA3321S	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 33"x21"x7"-10"
LA3322H	Apron Handmade Stainless Steel Sink. Double Bowl, R0-R25. Thickness can be 20GA to 16GA 33"x22"x7"-10"
LA3322S	Apron Handmade Stainless Steel Sink. Double Bowl, R0-R25. Thickness can be 20GA to 16GA 33"x22"x7"-10"
LA3323H	Apron Handmade stainless steel sink R0-R25. Thickness can be 20GA to 16GA 33"x23"x7"-10"
LA3323S	Apron Handmade stainless steel sink R0-R25. Thickness can be 20GA to 16GA 33"x23"x7"-10"
LA3522H	Apron Handmade Stainless Steel Sink. Double Bowl, R0-R25. Thickness can be 20GA to 16GA 35"x22-1/4"x7"-10"
LA3522S	Apron Handmade Stainless Steel Sink. Double Bowl, R0-R25. Thickness can be 20GA to 16GA 35"x22-1/4"x7"-10"
LA3620H	Apron Handmade Stainless Steel Sink. Double Bowl, R0-R25. Thickness can be 20GA to 16GA 35"x22-1/4"x7"-10"
LA3620O	Apron Handmade Stainless Steel Sink. Offset Double Bowl, R0-R25 Thickness can be 20GA to 16GA 36"x20-1/4"x7"-10"
LA3620S	Apron Handmade Stainless Steel Sink. Single bowl, R0-R25. Thickness can be 20GA to 16GA 36"x20-1/4"x7"-10"
LA3621O	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 36"x21"x7"-10"
LA3621S	Apron Handmade Stainless Steel Sink. R0-R25 20GA to 16GA 36"x21"x7"-10"
LA3920O	Apron Handmade Stainless Steel Sink. Offset Double Bowl, R0-R25 Thickness can be 20GA to 16GA 39"x20"x7"-10"
LA3920S	Apron Handmade Stainless Steel Sink. Single bowl, R0-R25. Thickness can be 20GA to 16GA 39"x20"x7"-10"
LA3921H	Apron Handmade Stainless Steel Sink. R0-R25. Thickness can be 18GA to 16GA 39"x20-3/4"x10-1/4"
LA4220O	Apron Handmade Stainless Steel Sink. Offset Double Bowl, R0-R25 Thickness can be 20GA to 16GA 42"x20"x7"-10"
LA4220S	Apron Handmade Stainless Steel Sink, Single bowl. R0-R25. Thickness can be 20GA to 16GA 42"x20"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LA4221H	Apron Handmade Stainless Steel Sink. R0-R25, Thickness can be 18GA to 16GA 42x20-3/4x10-1/4
LA4221O	Apron Handmade Stainless Steel Sink. R0-R25, Thickness can be 18GA to 16GA 42x20-3/4x10-1/4
LD3120S	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 31"x20"x7"10"
LD3322H	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 33"x22"x7"10"
LD3322O	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 33"x22"x7"10"
LD3322S	Apron Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 33"x22"x7"10"
LT1515S	Handmade Stainless Steel Sink, R0-R25 13 or 4 faucet holes 20GA to 16GA. 15"x15"x7"10"
LT1922S	Handmade Stainless Steel Sink. R0-R25 Thickness can be 22GA to 16GA 19x22-1/2x5.5-10"
LT2020S	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA 20-1/2"x20-1/2"x7"10"
LT2323S	Handmade Stainless Steel Sink. Dualmount. R--R25. Thickness can be 22GA to 16GA 23x23x9-12
LT2522S	Handmade Stainless Steel Sink. R0-R25 1, 3 or 4 faucet holes 20GA to 16GA 25"x22"x7"-10"
LT3120H-1	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA. 31-1/4"x20-1/2"x7"-10"
LT3120H-2	Handmade Stainless Steel Sink, R0-R25 1, 3 or 4 faucet holes 20GA to 16GA. 31-1/4"x20-1/2"x7"-10"
LT3120O	Handmade stainless steel Sink. R0-R25. 1,2, 3 or 4 holes, Thickness can be 20GA to 16GA 31-1/2"x20-1/2"x10"
LT3120S	Handmade Stainless Steel Sink. R0-R25 1,3 or 4 faucet holes 20GA to 16GA 31-1/4"x20-1/2"x7"10"
LT3220S	Handmade Stainless Steel Sink. R0-R25 1,3 or 4 faucet holes 20GA to 16GA 31-1/4"x20-1/2"x7"10"
LT3322H	Handmade Stainless Steel Sink. R0-R25 1,3 or 4 faucet holes 20GA to 16GA 33"x22"x7"-10"
LT3322O	Handmade Stainless Steel Sink. R0-R25. 1,2, 3 or 4 holes. Thickness can be 20GA to 16GA 33"x22"x10"
LT3322S	Handmade Stainless steel Sink, R0-R25 1,3 or 4 faucet holes 20GA to 16GA 33"x22"x7"10"
LT3323H	Handmade stainless steel sink. Dual mount, R0-R25. 1, 2,3 or 4 holes. Thickness can be 20GA to 16GA 32-3/4x22-3/4x7-10
LU1120S	Handmade Stainless Steel Sink. R0-R25 Thickness can be 22GA to 16GA 11x20x5.5-10
LU1410S	Handmade Stainless Steel Sink. R0-R25 Thickness can be 22GA to 16GA 14X10"x5-6"
LU1414S	Handmade Stainless Steel Sink. R0-R25 Thickness can be 22GA to 16GA 14-112X14-112x5 5-10
LU1418S	Handmade Stainless Steel Sink. R0-R25 Thickness can be 22GA to 16GA 14"x18"x5.5"10
LU1512S	Handmade Stainless Steel Sink. R0-R25 Thickness can be 22GA to 16GA 15x12-1/2x5.5-10
LU1517S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 15"X17"x7"10"
LU1518S	Handmade Stainless Steel Sink. R0-R25 Thickness can be 22GA to 16GA 15"x18-1/2"x7"-10"
LU1520S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 15"x20"x7"-10"
LU1616S	Handmade Stainless Steel Sink. R0-R25 Thickness can be 22GA to 16GA 16"x16"x5.5"10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LU1618S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 16"x18"x7"-10"
LU1816S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 18-1/2"x16"x7"10"
LU1818S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 18"x18"x7"10"
LU1915S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 19"x15"x7"-10"
LU1920S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 19x20x5.5-10
LU2015S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 20x15x10x5-10
LU2118S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 21"x18"x5.5"-10"
LU2208S	Handmade Stainless Steel Sink, Undermount mount, R0-R25, Thickness can be 22GA to 16GA 22x8-1/4x5-8
LU2216S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 20-1/2x16-1/2x5.5-10
LU2308S	Handmade Stainless Steel Sink, Undermount mount, R0-R25, Thickness can be 22GA to 16GA 23-1/4x8-1/2x5-8
LU2318S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 23"x18"x7"-10"
LU2321S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 23"x21"x7"-10"
LU2515S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 25"x15"x7"-10"
LU2515S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 25"x15"x7"-10"
LU2515SS	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 25"x15"x7"-10"
LU2517SS	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 25"x17"x7"-10"
LU2618S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 26"x18"x5.5"-10"
LU2716S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 27"x16"x7"-10"
LU2716S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 27"x16"x7"-10"
LU2716SS	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 27"x16"x7"-10"
LU2716SS	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 27"x16"x7"-10"
LU2718S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 27"x18"x5.5"-10"
LU2719S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 27"x19"x5.5"-10"
LU2818S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 28"x18"x7"-10"
LU2918S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 29"x18"x5.5"-10"
LU2919S	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 29"x19"x7"-10"
LU2920H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 29"x20"x7"-10"
LU2920O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 29"x20"x7"-10"
LU3018H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 30"x18"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LU3018S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 30"x18"x7"-10"
LU3118H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 31"x18"x7"-10"
LU3118S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 31"x18"x7"-10"
LU3120O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 30.75"x20"x7"-10"
LU3121O	Handmade Stainless Steel Sink, R0-R25, Thickness can be 22GA to 16GA 31.25"x20.5"x5.5"-10"
LU3208S	Handmade Stainless Steel Sink, Undermount, R0-R25, Thickness can be 22GA to 16GA 32x8-3/4x5-8
LU3218H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x18"x7"-10"
LU3218O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x18"x7"-10"
LU3218O7030	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x18"x7"-10"
LU3218S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x18"x7"-10"
LU3219H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x19"x7"-10"
LU3219O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x19"x7"-10"
LU3219S	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x19"x7"-10"
LU3220H	Handmade Stainless Steel Sink, Double bowl, R0-R25, Thickness can be 20GA to 16GA 32"x20"x7"-10"
LU3220O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 32"x20"x7"-10"
LU3220OD	Handmade Stainless Steel Sink, Double bowl, R0-R25, 1, 2, 3 or 4 holes, Thickness can be 20GA to 16GA 32-1/2"x20-1/2"x7"-10"
LU3311S	Handmade Stainless Steel Sink, Undermount, R0-R25, Thickness can be 22GA to 16GA 32-3/4x11x5-8
LU3318H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 33"x18"x7"-10"
LU3319H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 33"x19"x7"-10"
LU3320H	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 33"x20"x7"-10"
LU3320O	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA 33"x20"x7"-10"
LU3720H	Handmade Stainless Steel Sink, R0-R25, Thickness can be 20GA to 16GA 37x20x5.5-10
LB1007	Single Bowl, Top Mount 1, 3 or 4 faucet holes 23GA to 16GA 25"x22"x5.5"-10"
LB1015	Single Bowl, Under Mount 20GA to 16GA 18"x16.5"x8"-10"
LB1091	Single Bowl, Dual Mount 1, 3 or 4 faucet holes 20GA to 16GA 33"x22"x 8"-10"
LB1092	Single Bowl, Under Mount 20GA to 16GA 31-13/16"x18-1/2"x8"-10"
LB1093	Single Bowl, Under Mount 20GA to 16GA 23-13/16"x18-1/2"x8"-10"
LB1095	Single bowl, Undermount, Thickness can be 20GA to 16GA 30"x18"x5.5"-10"
LB1098	Single Bowl, Top Mount 1, 3 or 4 faucet holes 20GA to 16GA 33"x21-15/16"x8"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

File Number: 4583

Product: Plumbing Fixtures (Stainless Steel)

Effective Date: March 2024

Revised Date: July 1, 2024


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LB1412	Stainless Steel Sink 22GA to 20GA 14-5/16"x12"x5"-6"
LB1616	Single Bowl, Under Mount 20GA to 16GA 16"x16"x8"-10"
LB2002	Double Bowl, Under Mount 20GA to 16GA 32-3/8"x18-1/8"x7"-10"
LB2053	Double Bowl, Dual Mount 1, 3 or 4 faucet holes 20GA to 16GA, 33"x22"x8"-10"
LB2054	Double Bowl, Under Mount 20GA to 16GA 31-13/16"x18-1/2"x8"-10"
LB2055	Double Bowl, Dual Mount 1, 3 or 4 faucet holes 20GA to 16GA 33"x22"x8"-10"
LB2056	Double Bowl, Under Mount 20GA to 16GA 31-13/16"x18-1/2"x8"-10"
LB505	Double Bowl, Under Mount 20GA to 16GA 29-1/8"x18-1/2"x8"-10"
LB1038	Single bowl, Dual Mount 20GA to 16GA 1, 2, 3 or 4 holes 33"x22"x8"-10"
LB2063	Double bowl, Dual Mount 20GA to 16GA 1, 2, 3 or 4 holes 33"x22"x8"-10"
LB340	single bowl, undermount 22GA to 16GA no hole Ø13-3/8"x10-5/8"x5
LB265	single bowl, undermount 22GA to 16GA no hole Ø10-7/16"x5
LB336	single bowl, undermount 22GA to 16GA no hole Ø13"x4-1/2~5-1/2"
LU3824T	Service Sink 37-7/8" x 23-3/4" x 43.5"
LU3030S	Service Sink 30" x 29.5" x 43.5"
LU2324S	Service Sink 23.5" x 23.75" x 43.5"
LU1818S	Service Sink 18" x 18.5" x 41"
LB1020	Single Bowl, Dual Mount, 20GA to 16GA 25"x22"x5-1/2"-10"
LB1038	Single Bowl, Dual Mount, 20GA to 16GA 33"x22"x5-1/2"-10"
LB1091	Single Bowl, Dual Mount, 20GA to 16GA 33"x22"x5-1/2"-10"
LB2053	Double Bowl, Dual Mount, 20GA to 16GA 33"x22"x5-1/2"-10"
LB2054	Double bowl, undermount, 20GA to 16GA 31-13/16"x18-1/2"x5-1/2"-10"
LB1029	single bowl, undermount, 22GA to 16GA 30"x18"x5.5"-10"
LU2218S	Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA 22"x18"x5-1/2"-10"
LB1047	single bowl, undermount, 22GA to 16GA 20-7/8"x17-7/8"x5-1/2"-9"
LB2045	Double Bowl, Top Mount, 23GA to 16GA 33"x21-1/4"x5.5~9"
LB1049	Single bowl, Top Mount, 23GA to 16GA 25"x21-1/4"x5.5~9"
LB1050	Single bowl, Top Mount, 23GA to 16GA 17"x21-1/4"x5.5~8"
LB1026	Single Bowl, Top Mount, 23GA to 20GA 19-3/16"x19-3/16"x5.5"-8"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LB1046	Single Bowl Undermount Sink 32-3/8"x18-1/8"x5.5"-10" Thickness can be 23GA-16GA
LB2038L	Double Bowl Undermount Sink 31-1/2"X20-1/2"X5"-8"/7"-10" Thickness can be 23GA-16GA
LB2062	Double Bowl Undermount Sink 32-3/8"x18-1/8"x7"-10" Thickness can be 20GA-16GA
LB1098U	Single Bowl Undermount Sink 31-3/8"x20-1/2"x5.5"-10" Thickness can be 23GA-16GA
LB1071-2	Single Bowl Undermount Sink 33"x22"x8"-9" Thickness can be 23GA-16GA
LB1001	Single Bowl Undermount Sink 23-5/8"x21"x7-9" Thickness can be 23GA-16GA
LB1043	Single Bowl Undermount Sink 15"x18-1/2"x5.5"-10" Thickness can be 23GA-16GA
LB1009	Single Bowl Undermount Sink 17"x22"x6"-8" Thickness can be 23GA-16GA
LB1038	Single Bowl Topmount Sink 33"x22"x5.5-10" Thickness can be 23GA-16GA
LB2063	Double Bowl Topmount Sink 32-3/8"x18-1/8"x7"-10" Thickness can be 20GA-16GA
LB2072	Double Bowl Topmount Sink 32-3/8"x18-1/8"x7"-10" Thickness can be 20GA-17GA
LB1052	Single Bowl Topmount Sink 25"x22"x5.5-10" Thickness can be 23GA-16GA
LB1048	Single Bowl Undermount Sink 31 7/8"x18 9/16"x5.5-10" Thickness can be 23GA-16GA
LB2068	Double Bowl Undermount Sink 31 7/8"x18 9/16"x5.5-10" Thickness can be 23GA-16GA
LB2073	Double Bowl Undermount Sink 31 7/8"x18 9/16"x5.5-10" Thickness can be 23GA-16GA
LB1053	Single Bowl Undermount Sink 23"x18"x5.5"-10" Thickness can be 23GA-16GA
LB1100	Single bowl, Top Mount 28"x22"x5.5~10" Thickness can be 24GA to 16GA
LB2039	Double Bowl, Under Mount 33-1/3x18-1/2x5.5~9" Thickness can be 22G~16GA
LB1082	Single Bowl, Under Mount 28x18x5.5~9" Thickness can be 22G~16GA
LB1096	Single Bowl, Under Mount 32"x18"x5.5~9" Thickness can be 22G~16GA
LB2040R	Double Bowl, Under Mount 32-1/3"x20.5/18"x9"/7" Thickness can be 22G~16GA
LB1085	Single Bowl, Under Mount 25"x18"x5.5~9" Thickness can be 22G~16GA
LB1089	Single Bowl, Under Mount 15x15x5.5~8" Thickness can be 22G~16GA
LB1002/2	Single Bowl, Under Mount 23"x18"x5.5~12" Thickness can be 22G~16GA
LB2014	Double Bowl, Under Mount 33"x18"x5.5~9" Thickness can be 20G~16GA
LB1006-1	Single Bowl, Under Mount 28"x18"x5.5~9" Thickness can be 22G~16GA
LB1010	Single Bowl, Under Mount 32"x18"x5.5~9" Thickness can be 22G~16GA
LB2015R	Double Bowl, Under Mount 33"x18"x5.5~9" Thickness can be 22G~16GA
LB1011-1	Single Bowl, Under Mount 25"x18"x5.5~9" Thickness can be 22G~16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LB1017	Single Bowl, Under Mount 16"x18"x5.5~8" Thickness can be 22G~16GA
LB1023	Single Bowl, Under Mount 33"x18"x5.5~9" Thickness can be 22G~16GA
LU2318S	Handmade Stainless Steel Sink, R0-R25 23"x18"x5.5-12" Thickness can be 20GA to 16GA
LU2718S	Handmade Stainless Steel Sink, R0-R25 27"x18"x5.5-12" Thickness can be 20GA to 16GA
LU3018S	Handmade Stainless Steel Sink, R0-R25 30"x18"x5.5-12" Thickness can be 20GA to 16GA
LA3220SC	Handmade Stainless Steel Sink, R0-R25 32"x20"x7"-10" Thickness can be 20GA to 16GA
LT10052S	Handmade Stainless Steel Sink, R0-R25 39 3/8"x20 1/2"x7"-10" Thickness can be 20GA to 16GA
LT12052H	Handmade Stainless Steel Sink, R0-R25 47.2"x20.5"x7"-10" Thickness can be 20GA to 16GA
LT2722S-L	Handmade Stainless Steel Sink, R0-R25 27"x22"x7"-10" Thickness can be 20GA to 16GA
LT3022S-L	Handmade Stainless Steel Sink, R0-R25 30"x22"x7"-10" Thickness can be 20GA to 16GA
LT3222S-L	Handmade Stainless Steel Sink, R0-R25 32"x22"x7"-10" Thickness can be 20GA to 16GA
LT3322S-L	Handmade Stainless Steel Sink, R0-R25 33"x22"x7"-10" Thickness can be 20GA to 16GA
LU2719S-L	Handmade Stainless Steel Sink, R0-R25 27"x19"x7"-10" Thickness can be 20GA to 16GA
LU3019S-L	Handmade Stainless Steel Sink, R0-R25 30"x19"x7"-10" Thickness can be 20GA to 16GA
LU3219S-L	Handmade Stainless Steel Sink, R0-R25 32"x19"x7"-10" Thickness can be 20GA to 16GA
LU3319S-L	Handmade Stainless Steel Sink, R0-R25 33"x19"x7"-10" Thickness can be 20GA to 16GA
LU3219H-L	Handmade Stainless Steel Sink, R0-R25 32"x19"x7"-10" Thickness can be 20GA to 16GA
LA3321S-L	Handmade Stainless Steel Sink, R0-R25 33"x21"x7"-10" Thickness can be 20GA to 16GA
LA3321H-L	Handmade Stainless Steel Sink, R0-R25 33"x21"x7"-10" Thickness can be 20GA to 16GA
LA3621H-L	Handmade Stainless Steel Sink, R0-R25 36"x21"x7"-10" Thickness can be 20GA to 16GA
LT3322SL	Handmade sink drop in ledge sink, single bowl, R0~R15 33"x22"x9~10" Thickness can be 18G~16G
LT3322HL	Handmade sink drop in ledge sink, double bowl, R0~R15 33"x22"x9~10" Thickness can be 18G~16G
LU3319SL	Handmade sink undermount ledge sink, single bowl, R0~R15 33"x19-5/8"x9~10" Thickness can be 18G~16G
LU3019SL	Handmade sink undermount ledge sink, single bowl, R0~R15 30"x19-5/8"x9~10" Thickness can be 18G~16G
LU2519SL	Handmade sink undermount ledge sink, single bowl, R0~R15 25"x19-5/8"x9~10" Thickness can be 18G~16G
LA3322S-D	Apron Handmade Stainless Steel Drop in Sink, Single Bowl, R0-R25 33"x22"x7~10" Thickness can be 20GA to 16GA
LT3322HU-L	Handmade Stainless Steel 50/50 low divider Sink, R0-R25 33"x22"x7~10" Thickness can be 20GA to 16GA
LA3622H	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, 36"x21-7/8"x9~10" Thickness can be 20GA to 16GA
LA3622S	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, 36"x21-7/8"x9~10" Thickness can be 20GA to 16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LU2115S	Handmade Stainless Steel Sink, R0-R25 21"x15"x5.5~9" Thickness can be 20GA to 16GA
LU3019S	Handmade Stainless Steel Sink, R0-R25 30"x19"x5.5~10" Thickness can be 20GA to 16GA
LU3318S	Handmade Stainless Steel Sink, R0-R25 33"x18"x5.5~10" Thickness can be 20GA to 16GA
LU3419S	Handmade Stainless Steel Sink, R0-R25 34"x19"x5.5~10" Thickness can be 20GA to 16GA
LU1917S	Handmade Stainless Steel Sink, R0-R25 19"x17"x5.5~10" Thickness can be 20GA to 16GA
LU1815S	Handmade Stainless Steel Sink, R0-R25 15"x18"x5.5~10" Thickness can be 20GA to 16GA
LU1519S	Handmade Stainless Steel Sink, R0-R2 515"x19"x5.5~10" Thickness can be 20GA to 16GA
LAP3219S	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, 32"x19"Xx8~10" Thickness can be 20GA to 16GA
LU1214S	Handmade Stainless Steel Sink, R0-R25 12"x14"x5.5~10" Thickness can be 20GA to 16GA
LU1717S	Handmade Stainless Steel Sink, R0-R25 17"x17"x5.5~10" Thickness can be 20GA to 16GA
LU1718S	Handmade Stainless Steel Sink, R0-R25 17"x18"x5.5~10" Thickness can be 20GA to 16GA
LU2308S	Handmade Stainless Steel Sink, R0-R25 23"x8-1/2"x5.5~10" Thickness can be 20GA to 16GA
LU3312S	Handmade Stainless Steel Sink, R0-R25 33"x12"x5.5~10" Thickness can be 20GA to 16GA
LU3208S	Handmade Stainless Steel Sink, R0-R25 32"x8"x5.5~10" Thickness can be 20GA to 16GA
LU3618S	Handmade Stainless Steel Sink, R0-R25 36"x18"x5.5~10" Thickness can be 20GA to 16GA
LU6018S	Handmade Stainless Steel Sink, R0-R25 60"x18"x5.5~10" Thickness can be 20GA to 16GA
LU3218HD	Handmade sink drop in LOW DRIVER, double bowl, R0~R15 32"x18"x5.5-12" Thickness can be 20GA to 16GA
LU3619S	Handmade sink undermount ledge sink, single bowl, R0~R15 36"x19"x7~10" Thickness can be 20GA to 16GA
LU1515S	Handmade sink undermount ledge sink, single bowl, R0~R15 15"x15"x5.5"-10" Thickness can be 20GA to 16GA
LA2721S	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, 27"x20-3/4"x5.5-10" Thickness can be 18G~16G
LA2321S	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, 23-2/3"x20"x5.5-10" Thickness can be 18G~16G
LU2418S	Handmade Stainless Steel Sink, R0-R25 24"x18"x5.5"-10 Thickness can be 18G~16G
LU2817S	Handmade Stainless Steel Sink, R0-R25 28"x17"x5.5"-10 Thickness can be 18G~16G
LU2719SL	Handmade sink undermount ledge sink, single bowl, R0~R25 27"x19-5/8"x7~10" Thickness can be 18G~16G
LU3018SL	Handmade Stainless Steel Sink, R0-R25 30"x18"x7"-10" Thickness can be 20GA to 16GA
LU3218SL	Handmade Stainless Steel Sink, R0-R25 32"x18"x7"-10" Thickness can be 20GA to 16GA
LU3218DL	Handmade Stainless Steel Sink, R0-R25 32"x18"x7"-10" Thickness can be 20GA to 16GA
LU3018SDL	Handmade Stainless Steel Sink, R0-R25 30"x18"x7"-10" Thickness can be 20GA to 16GA
LU3219SDL	Handmade Stainless Steel Sink, R0-R25 32"x19"x7"-10" Thickness can be 20GA to 16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
LU3220SDL	Handmade Stainless Steel Sink,R0-R25 32"x20"x7"-10" Thickness can be 20GA to 16GA
LU1918S	Handmade Stainless Steel Sink,R0-R25 19"x18"x7"-10" Thickness can be 20GA to 16GA
LU2317S	Handmade Stainless Steel Sink,R0-R25 23"X17"X5.5-12" Thickness can be 20GA to 16GA
LU2818H	Handmade Stainless Steel Sink,R0-R25 28"x18"x7"-10" Thickness can be 20GA to 16GA
LA3021SL	Handmade Stainless Steel Sink,R0-R25 33"x21"x7"-10" Thickness can be 20GA to 16GA
LA3621SL	Handmade Stainless Steel Sink,R0-R25 36"x21"x7"-10" Thickness can be 20GA to 16GA
LU4019S	Handmade Stainless Steel Sink,R0-R25 40"X19"X5.5"-10 Thickness can be 20GA to 16GA
LU5919S	Handmade Stainless Steel Sink,R0-R25 59"X19"X5.5"-10 Thickness can be 20GA to 16GA


## MS International

Brand: MSI

Model Number	Description
P-SIN-18-SINBWL-2718	Single bowl, Undermount, Thickness can be 20GA to 16GA, 27"x17-7/8"x5.5"-9"
P-SIN-18-DBLWBWL-6040-3221	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
SIN-16-SINBWL-WEL-3219	Handmade Stainless Steel Sink,R0-R25 Thickness can be 20GA to 16GA, 32"x19"x7"-10"
SIN-16-SINBWL-WEL-2318	Handmade Stainless Steel Sink,R0-R25 Thickness can be 20GA to 16GA, 23"x18"x7"-10"
P-SIN-16-DBLWBWL-6040-3221	Double Bowl 60/40-3221; 16 Gauge Stainless Steel Drawn; Outer Size: 32"X20 3/4";Bowl Size Left:15 3/4" X 18 3/4"X9";Bowl Size Right:13" X 16 1/2"X7 1/2";
SIN-16-SINBWL-WEL-3018	Single Bowl Handcrafted-3018; 16 Gauge Stainless Steel; Outer Size: 30"x18"x10"; Bowl Size:28"x16"
SIN-16-SINBWL-WEL-3321FSAF	Single Bowl Farm Sink With Apron Front-3321; 16 Gauge Stainless Steel; Outer Size: 32 7/8"x20 3/4x10"; Bowl Size:30"x16"
SIN-16-DBLBWL-WEL-5050-3219	Double Bowl Handcrafted 50/50-3219; 16 Gauge Stainless Steel; Outer Size: 32"x19"x10"; Bowl Size:14.5"x17"
SIN-16-DBWL-WEL-5050-3321FSAF	Double Bowl Farm Sink With Apron Front 50/50-3321; 16 Gauge Stainless Steel; Outer Size: 32 7/8"x20 3/4x10"; Bowl Size:14.38"x16"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


## Noble Stone Collection

### Brand: Noble Stone Collection

Model Number	Description
NSR-18-1519	Single bowl, Undermount, Thickness can be 22GA to 16GA, 18-1/2"x15"x7"-8"
NSR-18-2318	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
NSR-18-2718	Single bowl, Undermount, Thickness can be 20GA to 16GA, 27"x17-7/8"x5.5"-9"
NSR-18-3018	Single bowl, Undermount, Thickness can be 20GA to 16GA, 30"x18"x5.5"-10"
NSR-18-3218	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
NSR-18-5050	Double Bowl, Under Mount 20GA to 16GA 32-3/8"x18-1/8"x7"-10"
NSR-18-6040	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
NR0-18-5050	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x18"x7"-10"
NR0-18-3218	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x18"x7"-10"
NR10-18-3218	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x18"x7"-10"
NR0-18-3018	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 30"x18"x7"-10"
NPSR0-18-5050	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x19"x7"-10"
NPSR0-18-3219	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x19"x7"-10"
NAR10-18-3620	Apron Handmade Stainless Steel Sink, Single bowl, R0-R25, Thickness can be 20GA to 16GA, 36"x20-1/4"x7-10"
NAR10-183320	Apron Handmade Stainless Steel Sink, R0-R25, 20GA to 16GA, 33"x20"x7"-10"
NSR-18-4060	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x6-8"/8"-10"
NSR-18-7030	Double bowl, No Mounting Hole, Undermounted, 31 1/2"x20 1/2"x6 1/2"-10"
NSR-18-5050S	Double bowl, Undermount, Thickness can be 20GA to 16GA, 29-1/8"x18-1/2"x7"-10"
NSR-18-2421	single bowl, undermount, 23 3/4"x21 1/4"x9"
NSR-18-1816	Single Bowl, Under Mount 20GA to 16GA 18"x16.5"x8"-10"
NSR-18-1616	Single Bowl, Under Mount 20GA to 16GA, 16"x16"x8"-10"
NSR-18-R18	Round sink, undermount, Thickness can be 22GA to 16GA, Ø17-3/4"x7"-8"
NSR-18-1512	single bowl, undermount, 15"x12 5/8"x9"
NSR-18-1018	Single bowl, Undermount, Thickness can be 22GA to 16GA, 10-1/2"x18"x6"-7"
NSR-18-TM3322	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
NSR-18-TM2522	Single Bowl, Top Mount 1, 3 or 4 faucet holes 20GA to 16GA, 25"x22"x6"-10"
NSR-18-3221	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-5/8"x21-1/4"x9"
NSR-18-5050LD	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA, 32-1/4"x18-7/8"x8"~10"
NSR-18-5050 ADA	Double bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5-1/2"
NSR-18-6040LD	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA, 31-3/4"x20-7/8"x9"
NR50-18-5050	Double bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5.5"-10"
NR50-18-5050S	Double bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/4"x18"x5.5"-10"
NR50-18-6040	Double bowl, Undermount, Thickness can be 20GA to 16GA, 31-3/4"x20-5/8"x9-10"/7-8"
NR50-18-4060	Double bowl, Undermount, Thickness can be 20GA to 16GA, 31-3/4"x20-5/8"x7-8"/9-10"
NR50-18-3218	Single bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5.5"-10"
NR50-18-2318	Single bowl, Undermount, Thickness can be 20GA to 16GA, 23-1/8"x17-7/8"x5.5"-10"
NR0-18-1915	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 19"x15"x7"-10"
NR10-18-1915	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 19"x15"x7"-10"
NR0-18-2318	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 23"x18"x7"-10"
NR10-18-2318	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 23"x18"x7"-10"
NR10-18-3018	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 30"x18"x7"-10"
NR0-18-3219	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x19"x7"-10"
NR10-18-3219	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x19"x7"-10"
NR10-18-5050	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x18"x7"-10"
NR0-18-5050B	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x19"x7"-10"
NR10-18-5050B	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x19"x7"-10"
NR0-18-6040	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x18"x7"-10"
NR10-18-6040	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x18"x7"-10"
NR0-18-6040B	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x19"x7"-10"
NR10-18-6040B	Handmade Stainless Steel Sink, R0-R25 20GA to 16GA, 32"x19"x7"-10"
NAR10-18-6040	Apron Handmade Stainless Steel Sink, R0- R25, 20GA to 16GA, 33"x20"x7"-10"
NAR10-18-5050	Apron Handmade Stainless Steel Sink, R0- R25, 20GA to 16GA, 33"x20"x7"-10"
NAR10-18-6040B	Apron Handmade Stainless Steel Sink, Offset Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 36"x20-1/4"x7-10"
NAR10-18-5050B	Apron Handmade Stainless Steel Sink, Offset Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 36"x20-1/4"x7-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

### Posey Supply Co. Inc

Model Number	Description
SC2041	27"x16" x7" double bowl, top-mounted sink, thickness can be 0.8mm to 1.0mm
SC1088	Ø11-5/8"x4-1/2" single bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
SC2042	25"x15-1/4"x5-1/2" double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
SC2716S	27"x16" x7" double bowl, undermount sink, thickness can be 1.0mm to 1.5mm, R0-R20
SC2515S	25"x15" x7" double bowl, undermount sink, thickness can be 1.0mm to 1.5mm, R0-R20
SC3120S	31"x20" x 7~10" to single bowl, dual mount sink, thickness can be 1.0mm to 1.5mm, R0-R20
SC3322S	33"x22" x 7~10" to single bowl, dual mount sink, thickness can be 1.0mm to 1.5mm, R0-R20
SC3322H	33"x22" x 7~10" to double bowl 50/50, dual mount sink, thickness can be 1.0mm to 1.5mm, R0-R20
SC3322O	33"x22" x 7~10" to double bowl 60/40, dual mount sink, thickness can be 1.0mm to 1.5mm, R0-R20
SC2048-6	33"*19"*6"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
SC2048-7	33"*19"*7"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
SC2048-8	33"*19"*8"double bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm
SC2005-6	33"*22"*6"double bowl, top-mounted sink, thickness can be 0.73mm to 1.2mm
SC2005-7	33"*22"*7"double bowl, top-mounted sink, thickness can be 0.73mm to 1.2mm
SC2005-8	33"*22"*8"double bowl, top-mounted sink, thickness can be 0.73mm to 1.2mm
SC1008-6	15"*15"*6"single bowl, top-mounted sink, thickness can be 0.66mm to 1.2mm


### Spohn Global Enterprise LLC

Brand Name: MILIGORÈ

Model Number	Description
VESSEL-SS-UZ60-56E3219	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


Model Number	Description
VESSEL-SS-UZ61-66E3219	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
VESSEL-SS-UZ62-16E3219	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
VESSEL-SS-UZ63-16E3018	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
VESSEL-SS-UZ63-16E3018_b	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
VESSEL-SS-UZ64-18D3018	Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
VESSEL-SS-FZ72-16E3321	Apron Handmade Stainless Steel Sink,R0- R2520GA to 16GA
VESSEL-SS-FZ73-66E3321	Apron Handmade Stainless Steel Sink,R0- 31-1/2"x18-3/8"x5.5"-10"
VESSEL-SS-UR67-56D3219	Double Bowl,Under Mount 20GA to 16GA
VESSEL-SS-UR68-16D3018	Single bowl, Undermount, Thickness can be 20GA to 16GA 30"x18"x5.5"-10"
VESSEL-SS-UR69-16D2418	Single bowl, Undermount, thickness can be 23GA to 16GA
VESSEL-SS-UR70-16C1518	Single bowl, Undermount, Thickness can be 22GA to 16GA
VESSEL-SS-TR71-12A1515	Single Bowl,Under Mount 20GA to 16GA 16"x16"x8"-10"

## Sunbelt Marketing Inc

Model Number	Description
H75020	Double bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/4"x18"x5.5"-10"
H75025	Single bowl, Undermount, Thickness can be 20GA to 16GA, 30"x18"x5.5"-10"
H75022	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
H75021	Single Bowl,Under Mount 20GA to 16GA, 16"x16"x8"-10"
H75001	Single Bowl,Top Mount 3 faucet holes 23GA, 25"x22"x6"
H75002	Single Bowl,Top Mount 4 faucet holes 23GA, 25"x22"x6"
H75011	Single Bowl,Top Mount 3 faucet holes 23GA, 25"x22"x5.5"
H75012	Single Bowl,Top Mount 4 faucet holes 23GA, 25"x22"x5.5"
H75003	Single Bowl,Top Mount 3 faucet holes 20GA, 25"x22"x8"
H75004	Single Bowl,Top Mount 4 faucet holes 20GA, 25"x22"x8"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
H75005	Double bowl, top mount, 3 holes, Thickness can be 23GA, 33"x22"x6"
H75006	Double bowl, top mount, 4 holes, Thickness can be 23GA, 33"x22"x6"
H75009	Double bowl, top mount, 3 holes, Thickness can be 23GA, 33"x22"x5.5"
H75010	Double bowl, top mount, 4 holes, Thickness can be 23GA, 33"x22"x5.5"
H75007	Double bowl, top mount, 3 holes, Thickness can be 20GA, 33"x22"x8"
H75008	Double bowl, top mount, 4 holes, Thickness can be 20GA, 33"x22"x8"
H75000	single bowl ,top-mounted, thickness can be 24G, 15"*15"*6"

### Taizhou Luobang Sanitary Ware MFG Co.,Ltd.

Model Number	Description
LBFD1100	Single bowl, Top Mount Thickness can be 20GA to 16GA 28"x22"x5.5~10"

### The Home Depot


Brand: Glacier Bay

Model Number	Description
1006597192	Service Sink 37-7/8" x 23-3/4" x 43.5"
1006597196	Service Sink 30" x 29.5" x 43.5"
1006597194	Service Sink 23.5" x 23.75" x 43.5"
1006597198	Service Sink 18" x 18.5" x 41"

### Trumbull Industries Inc

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
553-2451	Double bowl, Undermount, Thickness can be 20GA to 16GA, 32-3/8"x18-1/8"x5-1/2"
553-2450	Double Bowl, Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
553-2402	Double Bowl, Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
553-2399	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x6-8"/8"-10"
553-2400	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
553-2401	Double bowl, No Mounting Hole, Undermounted, 31 1/2"x20 1/2"x6 1/2"-10"
553-2403	Single bowl, Undermount, Thickness can be, 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
553-2404	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-5/8"x21-1/4"x9"
553-2405	single bowl, undermount, 23 3/4"x21 1/4"x9"
553-2406	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5-10"
553-2407	single bowl, undermount, 15"x12 5/8"x9"
553-2408	Single bowl, Undermount, Thickness can be 22GA to 16GA, 18-1/2"x15"x7"-8"
553-2409	Single Bowl, Under Mount 20GA to 16GA, 18"x16.5"x8"-10"
553-2641	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
553-2644	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
553-2645	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
553-2631	Single Bowl, Top Mount 1, 3 or 4 faucet holes 20GA to 16GA, 25"x22"x6"-10"
553-2634	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
553-2635	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
553-2481	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
553-2484	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
553-2485	Single Bowl, Top Mount 1, 3 or 4 faucet holes, 20GA to 16GA, 25"x22"x6"-10"
553-2431	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm, 25"x22"x8"
553-2434	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm, 25"x22"x8"
553-2441	single bowl top-mounted sink with strainer, thickness can be 1.17mm to 1.2mm, 25"x22"x12"
553-2444	single bowl top-mounted sink with strainer, thickness can be 1.17mm to 1.2mm, 25"x22"x12"
553-2421	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm, 33"x22"x8"
553-2423	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm, 33"x22"x8"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
553-2425	single bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm, 33"*22"*8"
553-2411	double bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm, 3"*22"*8"
553-2414	double bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm, 3"*22"*8"
553-2415	double bowl universal-mounted with ss and zine alloy sink strainer, thickness can be 0.81mm to 1.2mm, 3"*22"*8"
553-2471	double bowl universal-mounted with ss and zine alloy sink strainer,thickness can be 0.81mm to 1.2mm, 33"*22"*9"/8"
553-2472	double bowl universal-mounted with ss and zine alloy sink strainer,thickness can be 0.81mm to 1.2mm, 33"*22"*9"/8"
553-2621	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2624	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2625	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2611	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2614	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2615	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2461	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2464	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2465	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
553-2651	single bowl ,top-mounted, thickness can be 0.66mm to 1.2mm, 15"*15"*5 1/2"-6
553-2652	single bowl ,top-mounted, thickness can be 0.66mm to 1.2mm, 15"*15"*5 1/2"-6
553-2653	Double Bowl,Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
553-2655	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
553-2654	Double Bowl,Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
553-2656	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
553-2657	Double Bowl,Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
553-2658	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
553-2659	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
DTDE332210	33"x22"x7"-10" Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA
DTDO332210	33"x22"x10" Handmade Stainless Steel Sink,R0-R25, 1, 2, 3 or 4 holes, Thickness can be 20GA to 16GA
DTSB151710	15"x17"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DTSB232210	23x23x9-12 Handmade Stainless Steel Sink, Dual mount, R0-R25, Thickness can be 22GA to 16GA
DTSB252210	25"x22"x7"-10" Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND) CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)


Model Number	Description
DTSS322210	33"x22"x7"-10" Handmade Stainless Steel Sink,R0-R25 1, 3 or 4 faucet holes 20GA to 16GA
DUDE331910	33"x19"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DUDO331910	33"x19"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DUDET321910	32"x19"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DUDO372010	37x20x5.5-10 Handmade Stainless Steel Sink,R0-R25, Thickness can be 20GA to 16GA
DUDOT321910	32"x19"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DUSB231810	23"x18"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DUSBT231810	23"x18"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DUSS301810	30"x18"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DUSS321910	32"x19"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
DUSST321910	32"x19"x7"-10" Handmade Stainless Steel Sink,R0-R25 20GA to 16GA
KWSSU271910	Undermount ledge sink,single bowl, R0-R15 27 x 19-5/8 x 7~10 18G~16G
KWSSU301910	Undermount ledge sink,double bowl, R0-R15 30 x 19-5/8 x 9~10 18GA~16GA
KWSSU3021910	Stainless Steel Sink, R0-R25 32 x 19 x 7~10 20GA~16GA
KWSSDU331910	Undermount ledge sink,double bowl, R0-R15 33 x 19-5/8 x 9~10 18GA~16GA
KWSST272210-1	Stainless Steel Sink, R0-R25 27 x 22 x 7~10 20GA~16GA
KWSST272210-3	Stainless Steel Sink, R0-R25 27 x 22 x 7~10 20GA~16GA
KWSST302210-1	Stainless Steel Sink, R0-R25 30 x 22 x 7~10 20GA~16GA
KWSST302210-3	Stainless Steel Sink, R0-R25 30 x 22 x 7~10 20GA~16GA
KWSST322210-1	Stainless Steel Sink, R0-R25 32 x 22 x 7~10 20GA~16GA
KWSST322210-3	Stainless Steel Sink, R0-R25 32 x 22 x 7~10 20GA~16GA
KWSST332210-1	Stainless Steel Sink, R0-R25 33 x 22 x 7~10 20GA~16GA
KWSST332210-3	Stainless Steel Sink, R0-R25 33 x 22 x 7~10 20GA~16GA

World Stone Imports

Model Number	Description
--------------	-------------

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)


Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
SS-BAJA-DB-02	Double Bowl, Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
SS--DB-02	Double Bowl, Under Mount 20GA to 16GA, 32-3/8"x18-1/8"x7"-10"
SS-BAJA-DB-04L	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
SS-DB-04L	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x8"-10"/6"-8"
SS-BAJA-DB-04R	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x6-8"/*8"-10"
SS-DB-04R	Double bowl, Undermount, Thickness can be 23GA to 16GA, 31 7/8"x20 5/8"x6-8"/*8"-10"
SS-BAJA-DB-04-LOW	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA, 31-3/4"x20-7/8"x9"
SS-DB-04-LOW	Double bowl, Low divider, Undermount, Thickness can be 20GA to 16GA, 31-3/4"x20-7/8"x9"
SS-BAJA-DB-05L	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2"-10"
SS--DB-05L	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2"-10"
SS-BAJA-DB-05R	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2"-10"
SS--DB-05R	Double bowl, No Mounting Hole, Undermounted, 31 1/2"*20 1/2"*6 1/2"-10"
SS-BAJA-SB-01	Single bowl, undermount, 15"*12 5/8"*9"
SS-SB-01	Single bowl, undermount, 15"*12 5/8"*9"
SS-BAJA-SB-02	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5"-10"
SS-SB-02	Single bowl, Undermount, thickness can be 23GA to 16GA, 23-1/8"x17-7/8"x5.5"-10"
SS-BAJA-SB-03	Single Bowl, Under Mount 20GA to 16GA, 18"x16.5"x8"-10"
SS-SB-03	Single Bowl, Under Mount 20GA to 16GA, 18"x16.5"x8"-10"
SS-BAJA-SB-04	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
SS-SB-04	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
SS-BAJA-SB-04 ADA	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
SS-SB-04 ADA	Single bowl, Undermount, Thickness can be 20GA to 16GA, 31-1/2"x18-3/8"x5.5"-10"
SS-BAJA-SB-06	Single bowl, undermount, 23 3/4"*21 1/4"*9"
SS-SB-06	Single bowl, undermount, 23 3/4"*21 1/4"*9"
SS-BAJA-TB-01	three bowl, undermount, 46 1/2"*20 3/4"*9"(B)/7"(S)"
SS-TB-01	three bowl, undermount, 46 1/2"*20 3/4"*9"(B)/7"(S)"
SS-ART-DB--02	Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 33"x18"x7"-10"
SS-ART-DB-02-LOW2	Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 33"x18"x7"-10"
SS-ART-DB--04	Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 32"x19"x7"-10"

# IAPMO RESEARCH AND TESTING, INC.

## CERTIFICATE OF LISTING



Issued To: TAJE STAINLESS STEEL PRODUCTS (THAILAND)  
CO., LTD.

Effective Date: March 2024

File Number: 4583

Revised Date: July 1, 2024

Product: Plumbing Fixtures (Stainless Steel)

Void After: March 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Model Number	Description
SS-ART-DB-04-NEST	Handmade Stainless Steel Sink,R0-R25, 20GA to 16GA, 32"x19"x7"-10"
SS-ART-SB-04	Handmade Stainless Steel Sink,R0-R25,20GA to 16GA, 32"x18"x7"-10"
SS-ART-SB-BAR	Handmade Stainless Steel Sink,R0-R25,20GA to 16GA, 18-1/2"x16"x7"-10"
SS-FARM-SB-SQR	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, Thickness can be 20GA to 16GA, 3"x22"x7-10"
SS-FARM-SB-BOW	Apron Handmade Stainless Steel Sink, Single Bowl, R0-R25, Thickness can be 20GA to 16GA, 3"x22"x7-10"
SS-FARM-50/50-SQR	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 33"x22"x7-10"
SS-FARM-50/50-BOW	Apron Handmade Stainless Steel Sink, Double Bowl, R0-R25, Thickness can be 20GA to 16GA, 33"x22"x7-10"
SS-ART-SB-02-NEST	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA, 21"x18"x5.5"-10"
SS-ART-SB-02	Handmade Stainless Steel Sink,R0-R25, Thickness can be 22GA to 16GA, 21"x18"x5.5"-10"
SS-BAJA-DB-02TOP	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
SS--DB-02TOP	Double bowl, top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x5.5~9"
SS-BAJA-SB-04TOP	Single bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x8"-9"
SS--SB-04TOP	Single bowl, Top mount, 1, 2, 3 or 4 holes, Thickness can be 23GA to 16GA, 33"x22"x8"-9"
SS-BAJA-SB-02TOP 12"	Single bowl top-mounted sink with strainer, thickness can be 1.17mm to 1.2mm, 25"*22"*12"
SS-SB-02TOP 12"	Single bowl top-mounted sink with strainer, thickness can be 1.17mm to 1.2mm,25"*22"*12"
SS-BAJA-SB-02TOP 8"	Single Bowl,Top Mount 1, 3 or 4 faucet holes 20GA to 16GA, 25"x22"x6"-10"
SS-SB-02TOP 8"	Single Bowl,Top Mount 1, 3 or 4 faucet holes 20GA to 16GA, 25"x22"x6"-10"
SS-BAJA-SB-07-RD	Round sink, undermount, Thickness can be22GA to 16GA, Ø17-3/4"x7"-8"
SS-SB-07-RD	Round sink, undermount, Thickness can be22GA to 16GA, Ø17-3/4"x7"-8"
SS-BAJA-SB-08	oval single bowl bar sink, undermount19 1/4"*16 1/4"*5 7/8"
SS-SB-08	oval single bowl bar sink, undermount19 1/4"*16 1/4"*5 7/8"
SS-ART-ALLIN1SB-04	Stainless Steel Sink, R0-R25 32 x 19 x 7~10 20GA~16GA
SS-ART-ALLIN1DB-02	Stainless Steel Sink, R0-R25 32 x 19 x 7~10 20GA~16GA